Glenn Cribbs

residing at

Last printed 04/08/98 12:22 PM

Return to Kathy Hill, Skagit County Auditor 3:44:46PM 8/25/1999 Page 1 of 1 LOW FLOW MITGATION SUMMARY Gerald Property Owner/Grantor: Grantee: **PUBLIC** Assessor's Tax Account #: 360424 - 4-002 Property ID #: P 103421 Legal Description: Sec. 24 Twp. 36 Rng. 4 Block (when applicable) Subject: Aquifer Recharge Mitigation Summary to be recorded with Title. The following is a mitigation summary as required as a condition of issuance for Building Permit # 99-0887 Pursuant to Skagit County Code 14.06.330 sections (2) & (3) this summary shall be recorded with the title and shall remain in effect until the well is abandoned in accordance with Chapter 173-160 WAC and the property is connected to an approved public water supply or a Hydrogeologist confirms that the water source is from a confined aquifer and there is no continuity with a "low-flow" stream. In that the drinking water source for this Special Use is within 1/2 mile of a "low-flow" stream as designated by the Washington State Department of Ecology, I, Gerald wallace, the undersigned attest and agree to the following: The total impervious surface of the property is less than and shall remain less than 5% of the total 1 2. The landscape plan will utilize native vegetation, therefore, no watering will be performed or required from June 1 to September 30. Owner: On this day personally appeared before me & GERALD S. WALLACEY known to be the individual described herein and acknowledged to me that HE signed the same as HIS free and voluntary act and deed for the uses and purposes therein mentioned.

\Admnwmv1\usr\HOME\Planning\Shared\Pomis\CkiPiCAL\AREA\Sow flow Mitigation Summary for Building Permits.doc

Щ,,

, Notary Public in and for the State of Washington,