	Management of the Control of the Con
Return to:	
	200108140097"" - Skagit County Auditor
	8/14/2001 Page 1 of 2 1:22:38PM
	<u>.</u>
	MITIGATION PLAN
PUBLIC WATER SYS	TEM WELLHEAD PROTECTION AREA
- (6)	N/4
Property Owner/Grantor: Gary Lohma	
Grantee: PUBLIC	
Property ID #: P_36016 Assessor's Tax	Account #: 350409 - 2-005 - 0700
Site Address: 7687 Valley View	Rd Legal Desc.: Sec. 9 Twp. 35 Rng. 4
Plat Name: 5/9 56-89	Lot:Block (when applicable)
This property is located in the wellhead protecti Special precautions must be taken to protect the associated with Permit #: <u>SPO1-OB1Y</u> and in	on area for the <u>VALLEY VIEW ESTATES</u> public water system. source of this public water system. These precautions are aclude:
	s, pesticides etc.) with secondary containment or in a building with a
concrete floor. It is assumed that these 2. All application and disposal of all cher	e are normal household quantities only.  nicals will be according to the manufacturer's label directions or best
available County disposal practice. Se	e Skagit County Health Department for more information.
<ol> <li>No industrial, commercial or agriculture be conducted on this property.</li> </ol>	ral activities that utilize chemicals that could injure the aquifer will
4. On-site sewage system disposal install:	ation, alteration, or repair shall be in accordance with Skagit County by Rules and Regulations governing on-site sewage disposal systems.
	raded to a more accurate wellhead protection map by a professional
	plan is created, the new map will take precedence. It is possible that ellhead protection area of this water system. This public water system
may cease operation as a public water system.	This mitigation plan will become null and void if the public water
system ceases to be a public water system.	
a fl	
Owner: South and before SOUTH of	Date: 8/19/01  May known to be the individual described herein and acknowledged to me
On this day personally appeared before me that signed the same as free and voluntary act	and deed for the uses and purposes there mentioned.
( Sugury avala	, Notary Public in and for the State of
Washington, residing at Buling	Date: August 1420
\Admnwmv1\usr\HOME\Planning\Shared\Forms\CRFTIGAL ARE Last printed 05/12/98 9:00 AM \(\sigma\) COM \(\sigma\)	ASWitigation Plan for Public Water System Wellhead doc
· · /	

## Mitigation Plan Agreement Public Water System Wellhead Protection Area

## For Lot 2-1A

Valley View Estates Community Association

The following will serve as the specific criteria listed on a Skagit County Mitigation Plan, Public Water System Wellhead Protection Area form necessary to satisfy the conditions of a Skagit County building permit for the property listed above. All other parts of the Mitigation Plan form will remain unchanged.

- 1. Store all chemicals (solvents, fuels, oils, pesticides, etc.) with secondary containment or in a building with a concrete floor. It is assumed that these are normal household quantities only.
- 2. All application and disposal of all chemicals will be according to the manufacturer's label directions or best available County disposal practice. See Skagit County Health Department for more information.
- 3. No industrial, commercial, or agricultural activities that utilize chemicals that could injure the aquifer will be conducted on the property.

A pressure distributed septic system

- shall be installed
- inspected every three years from date of installation by a third party, certified septic system inspector
- pumped accordingly with the inspection recommendations.
- 4. A copy of each certified inspection, including the installation inspection, will be provided to the Valley View Estates Community Association within ten (10) working days of the date of inspection.
- 5. A copy of this Mitigation Plan will be provided to the resident(s) of this property immediately each time there is a change in primary resident.

For VVECA <u>Supo</u> <u>praident</u> date <u>8/14/01</u>
For the applicant (Gary Lohman) <u>Na.</u> J. date <u>8/14/01</u>

DRAFT

200108140097 Skagit County Auditor

8/14/2001 Page 2 of 2 1:22:38PM