

Skagit County Auditor

6/20/2003 Page

3 12:38PM

Agreement to Provide Service Contract

For tax parcel #P 68313 __ Xref ID_3974-00-114-0033

3153 BIZ POINT ROOK, ANDESNES, WA 98221 Site address:

Legal Description: Lot 114, Plate 1, "Rancho San Juan Del Man Sul #3" Amonday to the Plat thereof recorded in volume 6 of Plats
Pgs 19 to 22, inclusive records of Skept Co, wA, together with all uplands
adjucent, about in and lying between

Grantor: (Provider) Name

Orcas Sewage Design, Inc. Address

City, State

Zip Telephone

P.O. Box 492

Eastsound, WA

98245

360/376-2762 (fax: 376-4861)

Jay HAM + Tawet R. Hersey

Grantee(s): (Owner)

Name

Address

City, State, Zip

Telephone

3153 BIZ POINT Road Anaconto

WA. 98221

360-588-1142

B/18/03 Date:

NOW, THEREFORE, in consideration of the terms, provisions, covenants and conditions contained herein, the parties hereto agree as follows:

- Landowner to provide required information below and sign/seal
- Landowner to have this document notarized by a valid Notary of Washington
- This document to be recorded with the deed of the property by the Skagit Co. Auditor
- One copy of document to Landowner, to service provider, and to Skagit Co. Health Dept.

The Manufacturer of the AdvanTex AX20 Septic Treatment System requires an Operation and Maintenance (O&M) agreement be in place for the first three years for warranty to be valid. The equipment distributor, State of Washington, and Skagit County require a perpetual O&M Service Contract be in place as long as the Treatment System is in operation. This perpetual O&M agreement is binding upon subsequent owners as long as the Treatment System is in operation and shall be considered disclosable at property transfers. The O&M Agreement shall have a minimum of one service visit per year, or more frequent as specified by system design and or Health Dept. permit. The O & M agreement shall be for a period of no less that thirty-six months, and be renewed every thirty-six months thereafter.

The Operation & Maintenance (O&M) provider must be authorized to service this system. The landowner may choose any Authorized O&M Service Provider. The O&M Service Provider shall service the Treatment System and reset panel alarm annually. The O&M Service Provider shall provide the Landowner and equipment distributor with the annual inspection report.

Discontinuance of the Operation and Maintenance agreement places the Treatment System out of service, which places the system in non-compliance with any and all expressed or implied warranty agreements. If the Treatment System is placed out of service the local Skagit County Health Dept. office may be notified and out of service notification recorded by the O&M service provider. The O&M Service Provider shall have the authority to record an out of service notification on the property deed. Landowner agrees O&M Service Provider may release any system information to mortgage, title and insurance companies including regulatory agencies. The O&M Service Provider may remove this document from the property deed when the Treatment System is removed from the property. O&M Service Provider may place the Treatment System out of service for non-payment of O&M provider fees or denial of reasonable access to the system for the purpose of O&M.



This agreement is in accordance with the Septic Design issued by the Skagit County Health Dept.

	1
Signature of Land Owner: 24	Han theyen
Signature of Said Street	The state of the s
Printed Name: JAY HAM	+ Janet R. Hersey
Dated this 18 day of Hune	20 <u>05</u>
STATE of WASHINGTON Same	
COUNTY of SKAGIT	
V .	
On this day personally appeared before	ore me Jay Ham & Janot R. Hensey
To me known to be the individual(s) described in and who executed the within and	
foregoing instrument, and acknowledged that they signed the same as their	
•	
GIVEN under my hand and official s	eal this Standary of June 2003
SERVINA R. MESTIL	71 0700 (1)
ESION ENOTON,	Thura R. Wheel
NOTARL	Notary Public in and for the State of Washington
O PUBLIC	Residing at: Anacortes
MOST COBLIC ST	
OF WASHING	My appointment expires: 8-29-06
WAS CHEERE	