3. Did not use Calhoun Street 4. House by 0.7', a Notes Legal 2. This survey was accomplished by field traverse using: better digital electronic total station, and meets or excensions standards contained in WAC 332-130-090. 1. Basis—of—bearings — Assumed N30°49'47"E on the cente Third Street between found monuments at the intersections and Benton St. and Third St. and Douglas St. as shown he Lot 10, Block I, "MAP OF LACONNER, WHATCOM COUNTY, 0 72", as per plat recorded in Skagit County, Washington. Set 1/2" X 18" reinforcing rod with yellow plastic cap marked "SKA SURV 17651" and white 2" X 2" witness stake. excent origin and Legend Found rod with yellow plastic cap marked "SKA SURV 17651" set during survey filed in noted. as noted. Power pole Over head power A.F.#200309180101, except and house building corner Description 1/2" and Third Street as there is not they do no not conform to the either X 18" roof line of the encroaches 3 reinforcing two roaches onto subject property, encroaches by 2.4'. the Volume nails found near FOUND NAIL & WASHER AT THE CENTERLINE INTERSECTION OF SECOND ST. AND CALHOUN ST. ON 1/12/88. of Scale in Feet FOUND JUDY CAP WITH TACK AT THE INTERSECTION OF THIRD ST. AND DOUGLAS ST. ON 1/12/88. DRAWN sufficient plat 0 page the exceeds COMPUTED IN CALHOUN ST. SEE NOTE 3 location. 759.55/0×14 intersection WASHN. hereon. history second INTERSECTION OF ST. AND THIRD ST. SE N30.49.47.E records TERRY., 9 (Gov't jla Ó . 20.1 C0110015 09FEB05 000 J'ALOOK" FOUND 1" IRON PIPE WITH R&L CAP AT THE CENTERLINE INTERSECTION OF FOURTH ST. AND DOUGLAS ST. ON 5/22/85. N30.49.47.E 320.44. of 159.95.W 239.75.07.W FOURTH ST. ( 1. ON 5/22/85. Section Ó 40, & WASHER HELD FOR ERSECTION. 5,602 s.F. 36, ~ 24<sub>4.85</sub>, " S30.49.40"W · 20. Twp. 280.15, SHED. 20., ENCROACHES ONTO . ģ 34 MARKED SKA PLASTIC CAP IN FOUND SKA SURV CAP I IRON PIPES. S30.49.33"W 564.66. N for AUDITOR'S CERTIFICATE SURVEYOR'S CERTIFICATE COPYRIGHT 2004 SKAGIT SURVEYORS, INC This map correctly represents a Kagit survey made by me or under my direction in conformance with the **Skagit County Auditor** Survey Recording Act in January 2005 at the request of Peter Whited. 3/16/2005 Page 2:46PM urveyors & Engineers John L. Abenroth CERT#17651

806 Metcalf St., Sedro-Woolley, WA 98284 Phone: (360) 855-2121 FAX: (360) 855-1658

County Auditor or Deputy Auditor