


SKAGIT COUNTY PLANNING & DEVELOPMENT SERVICES PLAT LOT OF RECORD CERTIFICATION File Number: PL08-0635 Applicant Name: __Gary George _ Property Owner Name: same The Department hereby finds that Lot 12, Cascade River Park Division # 1; recorded in Volume 8, Pgs 55 through 59, July 1, 1963; Parcel Number: P63558; 3871-000-012-0006; within a Ptn of the SE 1/4 of the NE 1/4 of Sec. 15, Twp 35, Rge 11. Approximately 14,600 sq. ft. 1. CONVEYANCE IS a Lot of Record as defined in Skagit County Code (SCC) 14.04.020 and therefore IS \boldsymbol{X} eligible for conveyance. IS NOT, a Lot of Record as defined in SCC 14.04.020 or owned by an innocent purchaser who has met the requirements described in SCC 14.18.000(9) and RCW 58.17.210 and therefore IS NOT eligible for conveyance or development. 2. DEVELOPMENT IS the minimum lot size required for the ____ zoning district in which the lot is located and therefore IS eligible to be considered for development permits. IS NOT, the minimum lot size required for the _____ zoning district in which the lot is located, but does meet an exemption listed in SCC 14.16.850(4)(c) and therefore IS eligible to be considered for development permits. IS NOT the minimum lot size required for the Rural Reserve zoning district in X which the lot is located, does not meet an exemption listed in SCC 14.16.850(4)(c) and therefore IS NOT eligible to be considered for certain development permits. Is eligible for on-site sewage disposal system permit. Authorized Signature: 1/1 au Date: 1/7/2009

See Attached Map





PLANNING & DEVELOPMENT SERVICES

GARY R. CHRISTENSEN, AICP, DIRECTOR BILL DOWE, CBO, DEPUTY DIRECTOR

PATTI CHAMBERS Administrative Coordinator TIM DEVRIES, CBO **Building Official**

January 7, 2008

Mr. Gary George 1713 Electric Bellingham, WA 98229

RE: Parcel P63558

Lot Certification PL08-0635

Dear Mr. George:

Lot Certification PL08-0635 has been approved. Enclosed please find an unrecorded copy of the Lot Certification. The original has been forwarded to the Skagit County Auditor's Office for recording. At such time as the original is received, it will be forwarded.

It has been determined that because development is limited due to the subject property being located within the designated floodway of the Cascade River, a Reasonable Use Exemption will not be required at this time. A Reasonable Use Exemption will be required at such time, as documentation is submitted indicating that the subject property has a higher elevation than the floodway elevation.

If you have any questions, please feel free to contact this office.

Sincerely,

Planning & Development Services

Gr **Enclosures**

> Mailing Address: 1800 Continental Place . Mount Varnon WA 08273 Temporary Physical Location: 1700 E. Co. Phone: (360) 336-9410 • Fax: (

"Helping You Plan and Build B

Skagit County Auditor

1/30/2009 Page

3 of

3 8:36AM