

SITUATE IN A PORTION OF THE NORTHEAST QUARTER OF THE NORTHWEST QUARTER AND THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF SECTION 18, TOWNSHIP 34 NORTH, RANGE 2 EAST, W.M., FIDALGO ISLAND, SKAGIT COUNTY, WASHINGTON

TY OF IST 24, 2010

LYLE'S ADDITION
ORDS OF SKAGIT
NCE WEST 200
THE
BEING THE SAME

FILE NO.

ET, BLOCKS

RDED IN VOLUME V OF VACATED CRIBED AS

MANENT HIGHWAY
AY PLAN DATED
AVENUE; THENCE
PLATTED IN SAID
THENCE NORTH
NG THE LOTS 21 TO ALGO CITY, WN. ... SKAGIT COUNTY:

ACAILLANING VENUE IN SAID

RTED THERETO PLAT RECORDED

CORDED UNDER

HWAY NO. 18

N EAST, W.M.

NCE IT 200 FEET VT OF OR PERMANENT

ND PEDESTRIAN
SS ROAD, THE
S BEGINNING AT
ACATED LOT 24,
RUNNING

2 EAST, W.M.

UNDER 9101100012.

IN LINE OF THE 18" ON A JUNE 1932 ON

ANACORTES, 98221

80

**₹** 

2010082

**Š** 

2010082

Certificate

No.: 35147

E

PARCEL DESCRIPTIONS

(P20483):

ALL THAT PORTION OF A FIVE FOOT STRIP OF LAND ADJACENT TO THE WATER LINE OF LAKE CAMPBELL, AS RESERVED IN DEDICATION OF "CARLYLE'S ADDITION TO FIDALGO CITY" AS PER PLAT RECORDED IN VOLUME 2 OF PLATS, PAGE 3, LYING BETWEEN THE SOUTH LINE OF 14TH STREET EXTENDED AND THE CENTERLINE OF 16TH STREET EXTENDED, AS ESTABLISHED IN SUPERIOR COURT JUDGMENT IN CAUSE NO. 25210, SKAGIT COUNTY, ALL LOCATED WITHIN SECTION 18, TOWNSHIP 34 NORTH, RANGE 2 EAST, W.M.

EXCEPT THE RIGHT-OF-WAY FOR STATE HIGHWAY NO. 20.

(P112746

.(.a.

4

# MONUMENT

18

DECEMBER 14, 1982, A.F. NO. 8212140017, FOUND 2" PIPE, REPLACED WITH COUNTY TYPE MONUMENT 2" ABOVE GROUND, APPROPRIATELY MARKED AND STAMPED " JUDY L.S. 7598 1982." NAILED YELLOW D.N.R. TOWNSHIP TAG ON POST 1" WEST.

MONUMENT, 0.1' ABOVE

QUARTER CORNER **SECTIONS** 13 18

AUGUST 2, 1871, GENERAL LAND OFFICE DEPUTY SURVEYOR JOHN A. CORNELIUS, UNDER GOVERNMENT CONTRACT NO. 125, MARKED A 10" DIAMETER ALDER TREE ON THE SOUTH OF CAMPBELL LAKE AS THE MEANDER CORNER COMMON TO SECTIONS 13 AND 18.

PERPETUATED AND UTILIZED BY NUMEROUS RECORD OF SURVEYS AND UNRECORDED. NOVEMBER 29, 1989, A.F. NO. 8911290080, CONCRETE MONUMENT RECOVERED IN 1960. PLATS, RECORDED 0.6

MEANDER CORNER SECTIONS 7 & 18

SET 2 1/2" ALUMINUM MONUMENT APPROPRIATELY MARKED AS A WITNESS CORNER 5 MEANDER CORNER

M 0 0 る 0 OF 5 タ KE

SAMISH INDIAN NATION P.O. BOX 217

PARCEL

SHON

2/22/2011 Page

Skagit County

Auditor

Oï

# (CONTINUED)

THAT PORTION OF GOVERNMENT LOT 1 OF SECTION 18, TOWNSHIP 34 NORTH, RAN W.M., LYING WESTERLY OF THE RIGHT-OF-WAY FOR STATE HIGHWAY NO. 20 EXCEP STRIP ADJACENT TO THE WATER LINE OF LAKE CAMPBELL AS RESERVED IN THE DE"CARLYLE'S ADDITION TO FIDALGO CITY", AS PER PLAT RECORDED IN VOLUME 2 OF 3; SAID PREMISES BEING AN UNDELINEATED AND UNLABELLED PORTION OF SKAGIT PLAT NO. 96-0103, APPROVED DECEMBER 15, 1997 AND RECORDED JANUARY 8, AUDITOR'S FILE NO. 9801080064 IN VOLUME 13 OF SHORT PLATS, PAGE 86-88.

### DESCRIPTIONS

SECTION CORNER SECTIONS 7.

AUGUST 9, 1871, GENERAL LAND OFFICE DEPUTY SURVEYOR JOHN A. CORNELIUS, UNDER GOVERNMENT CONTRACT NO. 125, SET A POST FOR CORNER COMMON TO SECTIONS 7, 8, AND 18. 17.

PERPETUATED AND UTILIZED BY NUMEROUS RECORD OF SURVEYS UNRECORDED. AND PLATS, RECORDED

JULY 2010, FOUND 3" DIAMETER BRASS DISC SET IN 4" x 4" CONCRETE GRADE. ACCEPTED AS SECTION CORNER.

PERPETUATED AND UTILIZED BY NUMEROUS RECORD OF SURVEYS UNRECORDED. AUGUST 2, 1871, GENERAL LAND OFFICE DEPUTY SURVEYOR JOHN A. CORNELIUS, UNDER GOVERNMENT CONTRACT NO. 125, SET A QUARTER SECTION POST FOR CORNER COMMON SECTIONS 13 AND 18. AND PLATS, RECORDED

DULY 2010, FOUND 4" x 4" CONCRETE MONUMENT WITH 1/4" DIAMETER HOLE IN CENTER, 0.5' BELOW GRADE, IN MONUMENT CASE IN CENTERLINE OF SOUTH CAMPBELL LAKE ROAD. ACCEPTED AS QUARTER SECTION CORNER.

MEANDER CORNER SECTIONS

IANUARY 31, 1978, A.F. NO. 873015, FOUND CONCRETE MONUMENT.

JULY 2010, FOUND 5" x 5" CONCRETE MONUMENT WITH 1/8" DIAMETER HOLE ABOVE GRADE. ACCEPTED AS MEANDER CORNER.

OCTOBER 2010, NO MONUMENT OR ACCESSORIES FOUND. RE-ESTABLISHED BEARING AND DISTANCE FROM NORTHEAST CORNER OF SECTION 18. AUGUST 9, 1871, GENERAL LAND OFFICE DEPUTY SURVEYOR JOHN A. CORNELIUS, GOVERNMENT CONTRACT NO. 125, SET A POST FOR FRACTIONAL SECTION CORNER.

C

9

THE SURVEY CORRECTLY SHOWS THE LOCATION OF ALL BUILDINGS, OTHER IMPROVEMENTS, IF ANY, SITUATED ON THE PREMISES. STRUCTURES

ALL UTILITIES SERVING THE PREMISES ENTER THROUGH ADJOINING PUBLIC STREETS AND/OR EASEMENTS OF RECORD; THAT EXCEPT AS SHOWN, THERE ARE NO VISIBLE EASEMENTS OR RIGHTS OF WAY ACROSS SAID PREMISES; THAT THE PROPERTY DESCRIBED HEREON IS THE SAME AS THE PROPERTY DESCRIBED IN PER GUARDIAN NORTHWEST TITLE & ESCROW ORDER NO, 100303, EFFECTIVE AUGUST 24, 2010 AT 8:00 A.M. AND THAT ALL EASEMENTS, COVENANTS AND RESTRICTIONS REFERENCED IN SAID TITLE COMMITMENT, OR EASEMENTS WHICH THE UNDERSIGNED HAS BEEN ADVISED OR HAS KNOWLEDGE, HAVE BEEN PLOTTED HEREON OR OTHERWISE NOTED AS TO THEIR EFFECT ON THE SUBJECT PROPERTY.

THERE ARE NO VISIBLE ENCROACHMENTS ONTO THE ADJOINING PREMISES, STREETS OR ALLEYS BY ANY BUILDINGS, STRUCTURES, OR OTHER IMPROVEMENTS, AND NO ENCROACHMENTS ONTO SAID PREMISES BY BUILDINGS, STRUCTURES OR OTHER IMPROVEMENTS, SITUATED ON ADJOINING PREMISES; EXCEPT AS SHOWN HEREON.

THE SUBJECT PARCELS HAVE DIRECT PHYSICAL ACCESS TO STATE ROUTE 20. POINTS AS SHOWN HEREON.

4

ZONING DESIGNATION: MIXED

SUBJECT PARCEL: (A) P20475 (B) P20474 (C) P118013 (D) P20479 (E) P20483 (F) P112746 \* \* | | | | | 0.69 2.23 3.69 0.27 0.09 0.50 ACRES
ACRES
ACRES
ACRES
ACRES
ACRES

ICT TAX PARCELS DO NOT CONTAIN ANY DIFFERENCE'S BETWEEN THE RECORD DESCRIPTION AND THE ACTUAL MEASUREMENT ON SAID PARCEL. SAID PARCEL NOT CONTAIN ANY GAPS, GORES OR OVERLAPS.


L

GUARDIAN NORTHWEST TITLE + ESCROW

THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE "MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/ACSM LAND TITLE SURVEYS," JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS IN 2005, AND INCLUDES ITEM NUMBER 1, 4, 8, 10 & 110 OF TABLE A' THEREOF. PURSUANT TO THE ACCURACY STANDARDS AS ADOPTED BY ALTA AND NSPS AND IN EFFECT ON THE DATE OF THIS CERTIFICATION, UNDERSIGNED FURTHER CERTIFIES THAT IN MY PROFESSIONAL OPINION, AS A LAND SURVEYOR REGISTERED IN THE STATE OF WASHINGTON, THE RELATIVE POSITIONAL ACCURACY OF THIS SURVEY DOES NOT EXCEED THAT WHICH IS SPECIFIED THEREIN.




S S S SET MONUMENT



under of the SURVEYOR'S CERTIFICATE

map correctly represents a survey map correctly represents a survey my direction in conformance with e Survey Recording Act at the required NATION, and AUGUST 2010. request with ements

INDIAN







PACIFIC SURVEY & ENGINEERING INC EMAIL: pse@psesurvey.com 1812 CORNWALL AVE, BELLINGHAM, WA 98225 PHONE:671.7387 FAX:671.4685 www.psesurvey.com AND ATUS ISLAND, SKAGIT COUNTY, WASHINGTON T QUARTER QUARTER OF SECTION 18, TOWNSHIP 34 NORTH MEANDERED CAMPBELL LAKE AVIGATABLE BODY OF WATER, VE NOT DETERMINED THE ANDS WITHIN LAKE CAMPBELL. IDS HAS NOT TABLISHED FOR VE HAS BEEN JULY 26, 2010, ND THE THE VERDICT N26-13-28% 2638.26 NST 12'S EARING REFERENCE ASTRONOMIC NORTH WSDOT SEE TO BEARINGS OF THIS SURVEY ND REBAR W/CAP SOUTH OF 1/4 SE 3.95.29.33 SECTION LINE SHEET DISTRUB 19 94 GP29020 -48 SECTION LINE 2010082 DETAIL HS SHEET MONUMEN D 0 ALMIDA VISTA SHORT PLAT BRASS DISC SET DNCRETE CYLINDER, W GRADE; 9+29.62, 24.43' LT P79+29.62, 24.43' L 012.52°W NOO'38'30°W ACCEPTED AS LAT MONUMENT 5' WC MC TO CH =2508'] ETAIL '2' SHEET 0'00"W 6"E 1320.26 VISTA" DETAIL '2' N.T.S. ĕ  $\mathcal{G}$ 6 C 9 S 8 7 8 17 HORIZONTAL DATUM: (ASSUMED)
BASIS OF BEARINGS: ASTRONOMIC NORTH BASED ON AN INDEPENDENT SOLAR
OBSERVATION (HOUR ANGLE METHOD) PERFORMED BY PACIFIC SURVEYING &
ENGINEERING ON JULY 22, 2010. DATA FOR THIS SURVEY WAS GATHERED BY FIELD TRAVERSE UTILIZING ELECTRONIC DATA COLLECTION IN JULY 2010 THROUGH FEBRUARY 2011. MONUMENTS RECOVERED AND SET IN DECEMBER 2010. EQUIPMENT USED: SHL THIS SURVEY WAS COMPLETED WITH THE BENEFIT OF A TITLE REPORT: GUARDIAN NORTHWEST TITLE & ESCROW ORDER NO. 100303, EFFECTIVE AUGUST 24, 2010 AT 8 A.M. PACIFIC SURVEYING AND ENGINEERING SERVICES, INC. IS NOT RESPONSIBLE FOR ANY EASEMENTS, COVENANTS, AND RESTRICTIONS NOT SHOWN HEREON. PURPOSE OF SURVEY: TO RECOVER OR MONUMENT SUBJECT PARCEL CORNERS, LOCATE EXISTING IMPROVEMENTS, AND TO DEPICT EXISTING OCCUPATIONAL INDICATORS, AS SHOWN HEREON. THIS SURVEY DEPICTS THE LINE OF ORDINARY HIGH WATER AS DETERMINED BY THE EDGE OF VEGETATION AND MARKS UPON THE SHORE OF LAKE CAMPBELL AS IT NOW EXISTS, SURVEYED JULY 26, 2010, AS SHOWN HEREON. THIS SURVEY DEPICTS THE LINE OF NAVIGABILITY AS A LINE CONNECTING POINTS TWO (2) FEET BELOW THE WATER SURFACE OF LAKE CAMPBELL AS IT EXISTED C JULY 26, 2010. IN ACCORDANCE WITH THE REVISED CODE OF WASHINGTON: 58.09 AND WASHINGTON ADMINISTRATIVE CODE CHAPTER 332-130, THIS RECORD OF SURVEY DEPICTS OCCUPATIONAL INDICATORS, SUCH AS FENCES. THESE INDICATORS REPRESENT A POTENTIAL FOR CLAIMS OF UNWRITTEN TITLE. THIS SURVEY DOES NOT RESOLVE ANY OF THE LEGAL OWNERSHIP ISSUES THAT WAY ARISE FROM THESE UNWRITTEN TITLE CLAIMS. SURVEY MONUMENT REFERENCE: WASHINGTON DEPARTMENT OF TRANSPORTATION (WSDOT) MONUMENTS GP29020—48 AND GP29020—47; WERE USED TO ESTABLISH CENTERLINE AND RIGHT—0F—WAY LINES OF STATE ROUTE \$20. 2005 WSDOT RECORD OF SURVEY OF STATE ROUTE 20, A.F. NO. 200505040052, RECORDS OF SKAGIT COUNTY, WASHINGTON. COR SURVEYOR IDENTIFIED AN ERRONEOUS G.L.O. MEANDER LINE BEARING CALL BASED ON LARGE ERROR OF CLOSURE TO CLOSING MONUMENT. ORIGINAL I AND CORRECTED BEARING ARE AS FOLLOWS:

\$527 = G.L.O. BEARING

N527 = CORRECTED G.L.O. BEARING

COMPASS RULE ADJUSTMENT METHOD WAS USED TO BALANCE ALL

MEANDER LINE SEGMENTS. SEE 'MEANDER LINE TABLE' (THIS SHEET) FOR RECORD AND ADJUSTED VALUES. NOTES FOUND 3" BRASS DISC SET IN 4" × 4" CONCRETE MONUMENT, O.1' ABOVE GRADE NORTHEAST CORNER 18 SURVEY NOTE #10) THEOMAT 00'01.5" 7 8 18 17 2/22/2011 Page EDM: (AS DEPICTED, INCORRECTLY STAMPED AS CORNER COMMON TO SECTION 19) NO POR TON ON ON A RK ± 1 PPM. (GLO) (5.25CH=346.5') (4.50CH=297') (4.50CH=297') (10.00CH=660') (3.50CH=132') (2.00CH=165') (2.50CH=363') (4.00CH=264') (4.50CH=297') (4.50CH=363') 5 10:33AM WISTERES

2-22-1/

PACIFIC SURVEY & ENGINEERING INC EMAIL: pse@psesurvey.com 1812 CORNWALL AVE, BELLINGHAM, WA 98225 PHONE:671.7387 FAX:671.4685 www.psesurvey.com WASHINGTON AVENUE \(\sum \) (VACATED PER COMM. FILE 3269) P20465 LIAM & LINDA MACDONALD 海のの不 10 20 \$000TION N00'21'46"E 203.61 TOPLOO STREET N00"17"08"E (VACATED PER COMM. FILE 1915) (VACATED PER COMM. FILE 1915) LINCOLN AVENUE NO0°17'08"E **3**00.00' N00°17'08"E 212.58' (VACATED PER COMM. FILE 12532) (VACATED PER COMM. FILE 1915) **30**′ ROAD 'A' SEE SHEET 5 STORM TRACT 'A' N00°17'08"E 329.99' ALMIDÀ VISTA (VACATED PER COMM. FILE 12532) SHORT PLAT A.F. NO. 9801080064 LOT 4

2-22-11

PACIFIC SURVEY & ENGINEERING INC EMAIL: pse@psesurvey.com
1812 CORNWALL AVE, BELLINGHAM, WA 98225 PHONE:671.7387 FAX:671.4685 www.psesurvey.com 2' DEPTH OF WATER LINE 上路 GO ISLAND, SKAGIT COUNTY, EAST QUARTER OF SECTION 18, QUARTER OF THE NORTHWEST QUARTER N19.31'34"E CAMPBELL SECOND CLASS NAVIGATABLE NOTE. 186 X SHORELANDS S. S. T. TO OB 一条 WEST QUARTER AND THE 3, TOWNSHIP 34 NORTH, WASHINGTON SHEET SAMISH INDIAN TOR TOE ELE . SER NOR TO P. B. T. O. 1807.80 PARCEL 'E'
P20483
ISH INDIAN NATION
SAMISH HOUSING
AUTHORITY)
0.09 ACRES 1 8321.84 362 d 832.11.00. N15:26'21' 76.91' 263 N03\*44'41 "W 66.78' PARCEL 'F'
P112746
U.S.A. IN TRUST FOR
O.05 ACRES 261+86.46 63.10' RT P.C. ₹ 263+31.92 13.22. NO8\*11'36"E 55.28' N16.58'06"E 262+34.80 62.02' RT N19.31.34.6 423.20 5.00.28'26W P20058 ELVEBAK DOROTHY IRREVOCABLE TRUST S.R. 20 HEAVY BRUSH 263+00.00 63.03' RT EXISTING
EXISTING
EXISTING
EXISTING
EXISTING
EXISTING (PORTION OF VACATED LAKE AVENUE)

PER COMM. FILE 12532) 22 263+31.92 75.00' RT 20 CENTERLINE
WAY LINE
D ELECTRIC L
CONCRETE
GRAVEL
DIRT 19 STREET 27 STREET 28 STREET <del>1</del>0

2-22-11

PACIFIC SURVEY & ENGINEERING INC EMAIL: pse@psesurvey.com 1812 CORNWALL AVE, BELLINGHAM, WA 98225 PHONE:671.7387 FAX:671.4685 www.psesurvey.com LINES OW LINE RUSH ·P (BSPHALT ROBUMAY) CAMPBELL LAKE LENCE MIKE 2, HOC DITCH FLOW LINE (TYP.) 8'± TRAIL 4. BYYBED MIKE LENCE HEAVY BRUSH Š ROAD 'A' AS SHOWN ON RECORD OF SURVEY FILED UNDER SKAGIT COUNTY AF#200502110006

2-22-11