



201106130064  
Skagit County Auditor

6/13/2011 Page 1 of 1 2:56PM

PETER BROWNING, DIRECTOR  
HOWARD LEIBRAND, M.D., HEALTH OFFICER  
CORINNE STORY, ENVIRONMENTAL HEALTH SUPERVISOR  
PHONE: (360) 336-9380 FAX: (360) 336-9401



"Always working for  
a safer and healthier  
Skagit County"

OPERATION-MAINTENANCE & MONITORING REQUIREMENT  
FOR PROPRIETARY ONSITE SEWAGE SYSTEMS

**This form must be recorded before permit approval**  
NOTICE OF ON-SITE SEWAGE SYSTEM MAINTENANCE AGREEMENT REQUIREMENT  
(DESIGN)

GRANTOR: (NAME OF OWNER) GARY H Richter Jr.  
GRANTEE: SKAGIT COUNTY  
ADDRESS 3416S North Shore Drive, Mount Vernon WA  
PARCEL # 66383  
LEGAL DESCRIPTION:

Lake Cavanaugh, Div 1 Lot 45 Blk 2

THE FOLLOWING INFORMATION HAS BEEN DISCLOSED TO THE HOMEOWNER AS PER SKAGIT COUNTY CODE 12.05.120 AND WASHINGTON ADMINISTRATIVE CODE 246-272A-0015 and 0270:

1. Maintenance & Monitoring Required: The septic system to be installed on this lot will require annual or more frequent as required scheduled maintenance and monitoring.
2. Contract Required: A contract for perpetual maintenance and monitoring must be obtained before the onsite sewage disposal system is put into use.
3. Maintenance Specialist Required: The person performing this service must be certified by the Skagit County Health Department.

I have read and fully understand the conditions contained within this notification.  
For witnessing or attesting a signature: State of Washington, County of Skagit

(Owner signature) [Signature] date 6/09/11

Signed or attested before me on 6/09/11 by (Signature of Notary)

Tawnee D Bosman date 6/09/11 My appointment expires 11-20-13

