



201109160084  
Skagit County Auditor

9/16/2011 Page 1 of 1 4:08PM



Working for  
a better and healthier  
Skagit County

PETER BROWNING, DIRECTOR  
HOWARD LEIBRAND, M.D., HEALTH OFFICER  
CORINNE STORY, ENVIRONMENTAL HEALTH SUPERVISOR  
PHONE: (360) 336-9380 FAX: (360) 336-9401

OPERATION-MAINTENANCE & MONITORING REQUIREMENT  
FOR PROPRIETARY ONSITE SEWAGE SYSTEMS

**This form must be recorded before permit approval**  
**NOTICE OF ON-SITE SEWAGE SYSTEM MAINTENANCE AGREEMENT REQUIREMENT**  
**(DESIGN)**

GRANTOR: (NAME OF OWNER) Slavic Gospel Church of Mount Vernon  
GRANTEE: SKAGIT COUNTY  
ADDRESS PO Box 2595 Mount Vernon, WA 98273  
PARCEL # P24740  
LEGAL DESCRIPTION: 14464 State Route 9, Mount Vernon, within a  
portion of Section 18, Township 34 North, Range 4 East W. M.,  
situated within Skagit County, Washington.

THE FOLLOWING INFORMATION HAS BEEN DISCLOSED TO THE HOMEOWNER AS PER SKAGIT COUNTY CODE 12.05.120 AND WASHINGTON ADMINISTRATIVE CODE 246-272A-0015 and 0270:

1. Maintenance & Monitoring Required: The septic system to be installed on this lot will require annual or more frequent as required scheduled maintenance and monitoring.
2. Contract Required: A contract for perpetual maintenance and monitoring must be obtained before the onsite sewage disposal system is put into use.
3. Maintenance Specialist Required: The person performing this service must be certified by the Skagit County Health Department.

I have read and fully understand the conditions contained within this notification.  
For witnessing or attesting a signature: State of Washington, County of Skagit

(Owner signature) Aleksandr Nizhynko date 4/12/11

Signed or attested before me on 4/12/11 by (Signature of Notary)

M.R.P. date 4/12/11 My appointment expires 1/29/12

