



Skagit County Auditor

7/24/2013 Page

1 of

1 2:00PM

\$72.00



"Always working for
a safer and healthier
Skagit County"

PETER BROWNING, DIRECTOR
HOWARD LEIBRAND, M.D., HEALTH OFFICER
CORINNE STORY, ENVIRONMENTAL HEALTH SUPERVISOR
PHONE: (360) 336-9380 FAX: (360) 336-9401

OPERATION-MAINTENANCE & MONITORING REQUIREMENT
FOR PROPRIETARY ONSITE SEWAGE SYSTEMS

This form must be recorded before permit approval
NOTICE OF ON-SITE SEWAGE SYSTEM MAINTENANCE AGREEMENT REQUIREMENT
(DESIGN)

GRANTOR: (NAME OF OWNER) Brandon Fauchald
GRANTEE: SKAGIT COUNTY
ADDRESS 35073 South Shore Drive Mount Vernon WA 98273
PARCEL # 67057
LEGAL DESCRIPTION:

PTN TR A Lake Cavanaugh Park

THE FOLLOWING INFORMATION HAS BEEN DISCLOSED TO THE HOMEOWNER AS PER SKAGIT
COUNTY CODE 12.05.120 AND WASHINGTON ADMINISTRATIVE CODE 246-272A-0015 and 0270:

1. Maintenance & Monitoring Required: The septic system to be installed on this lot will require annual or more frequent as required scheduled maintenance and monitoring.
2. Contract Required: A contract for perpetual maintenance and monitoring must be obtained before the onsite sewage disposal system is put into use.
3. Maintenance Specialist Required: The person performing this service must be certified by the Skagit County Health Department.

I have read and fully understand the conditions contained within this notification.
For witnessing or attesting a signature: State of Washington, County of Skagit

(Owner signature)

date

7/24/13

Signed or attested before me on

7/24/13

by (Signature of Notary)

Leann Renae Soule

date

7/24/13

My appointment expires

1/01/2014

