



201401310080

Skagit County Auditor

\$72.00

1/31/2014 Page

1 of

1 1:32PM

Always working for
a safer and healthier
Skagit County

PETER BROWNING, DIRECTOR
HOWARD LEIBRAND, M.D., HEALTH OFFICER
CORINNE STORY, ENVIRONMENTAL HEALTH SUPERVISOR
 PHONE: (360) 336-9380 FAX: (360) 336-9401

**OPERATION-MAINTENANCE & MONITORING REQUIREMENT
FOR PROPRIETARY ONSITE SEWAGE SYSTEMS**

This form must be recorded before permit approval

**NOTICE OF ON-SITE SEWAGE SYSTEM MAINTENANCE AGREEMENT REQUIREMENT
(DESIGN)**

GRANTOR: (NAME OF OWNER) Annabelle Jorgensen
 GRANTEE: SKAGIT COUNTY
 ADDRESS 32189 S. Shore Dr., Mt. Vernon, Wa.
 PARCEL # PL000280
 LEGAL DESCRIPTION:

Lots 63 and 64, Blk 1 of Lake Cavanaugh Div. 3

THE FOLLOWING INFORMATION HAS BEEN DISCLOSED TO THE HOMEOWNER AS PER SKAGIT COUNTY CODE 12.05.120 AND WASHINGTON ADMINISTRATIVE CODE 246-272A-0015 and 0270:

1. Maintenance & Monitoring Required: The septic system to be installed on this lot will require annual or more frequent as required scheduled maintenance and monitoring.
2. Contract Required: A contract for perpetual maintenance and monitoring must be obtained before the onsite sewage disposal system is put into use.
3. Maintenance Specialist Required: The person performing this service must be certified by the Skagit County Health Department.

I have read and fully understand the conditions contained within this notification.
 For witnessing or attesting a signature: State of Washington, County of Skagit

(Owner signature) A. M. Jorgensen date 12-7-13

Signed or attested before me on 12-9-13 by (Signature of Notary)

Sherry Caryl date 12-9-13 My appointment expires 3-20-15

