AFTER RECORDING, MAIL TO:

Yakima, WA 98908

4710 Summitview Avenue #104

NPCC

Skagit County Auditor 2/5/2014 Page

\$14.00

2:35PM

Filed for Record at Request of: First American Title Insurance Company



First American Title Insurançe Company

279-186

REF NO: 1090395144

Residing at: PUYALLUP My appointment expires: \_

## APPOINTMENT OF SUCCESSOR TRUSTEE

1/10/2014

Whereas, the undersigned is the Beneficiary of that certain Deed of Trust dated 3/9/2005, recorded 3/29/2005, under Skagit County, Auditor's file number 200503290051 (the "Deed of Trust") in which Bradford Holding, LLC., Limited Liability Corporation is the Grantor, and Land Title Company is Trustee, and Columbia State Bank fka Summit Bank fka State Bank of Concrete is Beneficiary.

Whereas, the undersigned now desires to appoint a new Trustee to act in the place and stead of the Trustee named in the Deed of Trust;

Now, therefore, the undersigned hereby appoints First American Title Insurance Company, as Successor Trustee under the Deed of Trust to have all of the powers of the original Trustee effective immediately.

In witness whereof, the undersigned has caused this instrument to be executed this

10TH day of JANUARY ,2014
CINDY HUFFER, A.V.P.
(Columbia State Bank fka Summit Bank fka Bank of Concrete)
* STATE
STATE OF:) WASHINGTON )-SS
COUNTY OF:) PIERCE
I certify that I know or have satisfactory evidence thatCINDY_HUFFER
is/are the person(s) who appeared before me, and said person(s) acknowledged that he/she/they signed
this instrument, on oath stated that he/she/they is/are authorized to execute the instrument and acknowledged it as the A.V.P. of COLUMBIA STATE BANK to be the free and
voluntary act of such ( <u>Title</u> if applicable) ( <u>Company</u> if applicable)
party(ies) for the uses and purposes mentioned in this instrument,
TURNADA 10 001/
Dated JANUARY 10, 2014
1/(1/1) PIDITAL SKATHLEENE WYATT B
CANALLEME WILLOUTH A NOTARY PUBLIC & CONS
Notary Public in and for the State of: WASHINGTON COMMISSION EXPIRES
State of: WASHINGTON COMMISSION EXPIRES E