


Filed for Record at the request of AZIMUTH NORTHWEST, INC.


201504010043
 Skagit County Auditor
 4/1/2015 Page 1 of 3 1:58PM
 \$148.00

J. Jungquist
 SKAGIT COUNTY AUDITOR
 DEPUTY

TYPICAL SETBACKS FROM EXTERIOR
 PROPERTY LINES ONLY:



NOTE: ALL SETBACKS ARE MINIMUM DISTANCES EXCEPT 200' MAXIMUM FROM FRONT PROP LINE.
 (R) DENOTES RESIDENTIAL BLDG.
 (NR) DENOTES NON-RESIDENTIAL BUILDING SETBACKS FROM INTERNAL BOUNDARIES OF LOTS 1, 2, AND 3 ARE SET BY COVENANTS.





ADDRESS RANGE-- SEE ALSO NOTE #11


ROAD NAME	BEGINNING	ENDING
BEST RD.	13762	19745

LEGEND

- DENOTES 5/8" REBAR WITH YELLOW CAP IMPRINTED
- "AZIMUTH NW 21591" SET THIS SURVEY.
- SOIL LOG
- FOUND CORNER
- * TREE
- W WATER METER
- SB SANITARY SEWER LINE
- OVERHEAD POWER LINE



SHORT PLAT NO. PL12-0352	
SURVEY IN SOUTH HALF SECTION 20 & NORTH HALF SECTION 29 TWN 34N., RNG 3E., W.M. FOR ESTATE OF ROBERT R. HART	
FLD BK 155	AZIMUTH NORTHWEST INC. 17963 WOOD RD. BOW, WASHINGTON 98232
CHD SVB	SHEET 1 OF 3 JOB NO. 12.1063




LINE	BEARING	DISTANCE
L1	S00°35'00"E	27.08'
L2	S07°47'38"W	67.64'
L3	S38°45'00"E	216.84'
L4	S42°20'27"E	378.64'
L5	N75°44'43"E	257.49'
L6	S65°34'20"W	114.46'
L7	S63°23'27"W	35.14'
L8	S71°05'56"W	66.90'
L9	S74°47'49"W	60.96'

LINE	BEARING	DISTANCE
L10	S66°06'28"W	42.74'
L11	S44°51'37"W	45.08'
L12	S37°55'05"W	340.86'
L13	S42°20'27"E	37.40'
L14	S65°08'01"W	38.00'
L15	S67°26'03"W	111.53'
L16	S62°49'51"W	56.90'
L17	S30°00'15"W	39.76'
L18	S04°01'08"W	41.58'

LINE	BEARING	DISTANCE
L19	S16°41'54"E	79.35'
L20	S13°01'41"E	55.95'
L21	S03°05'39"E	125.59'
L22	S16°28'32"E	106.43'
L23	S11°39'54"E	44.84'
L24	S01°34'57"W	50.40'
L25	S20°17'32"W	48.96'
L26	S51°10'48"W	53.77'
L27	S54°18'27"W	113.09'

LINE	BEARING	DISTANCE
L28	S44°56'17"W	63.09'
L29	S38°08'25"W	42.30'
L30	S25°19'47"W	52.90'
L31	S22°36'49"W	60.46'
L32	S36°48'03"W	59.67'
L33	S41°35'49"W	73.03'
L34	S48°25'41"W	62.59'
L35	S54°13'44"W	63.02'
L36	S59°13'26"W	66.44'
L37	S71°18'29"W	121.17'
L38	S84°28'14"W	40.60'



LINE	ARC	RADIUS	DELTA
C1	45.54'	42.14'	61°34'50"

NOTES:

1. ALL MAINTENANCE AND CONSTRUCTION OF PRIVATE ROADS ARE THE RESPONSIBILITY OF THE LOT OWNERS AND THE RESPONSIBILITY OF MAINTENANCE SHALL BE IN DIRECT RELATIONSHIP TO USAGE OF ROAD. IN NO CASE SHALL THE COUNTY ACCEPT A DEDICATION OR ANY OBLIGATION AS TO ANY SUCH ROAD, STREET, AND/OR ALLEY UNTIL THE SAME AND ALL ROADS, STREETS, AND/OR ALLEYS CONNECTED TO THE FULL, CURRENT COUNTY ROAD SYSTEM HAVE BEEN BROUGHT TO FULL COUNTY ROAD STANDARDS AND A RIGHT-OF-WAY DEED HAS BEEN TRANSFERRED TO AND ACCEPTED BY THE COUNTY.
2. SHORT PLAT NUMBER AND DATE OF APPROVAL SHALL BE INCLUDED IN ALL DEEDS AND CONTRACTS.
3. COMPREHENSIVE PLAN/ZONING DESIGNATION: AGRICULTURE (AG-NR). THE SUBDIVIDER HAS ENTERED INTO A CONSERVATION EASEMENT AGREEMENT WITH SKAGIT COUNTY INVOLVING THE PROPERTY SHOWN IN THIS SHORT PLAT. SAID AGREEMENT PROVIDES FOR THE CREATION OF THESE LOTS THAT OTHERWISE WOULD BE SUBSTANDARD IN THE AGRICULTURAL ZONING.
4. PROJECT IS WITHIN BOUNDARIES OF RURAL FIRE PROTECTION DISTRICT #1.
5. ALL ONGOING AGRICULTURAL ACTIVITIES MUST COMPLY WITH S.C.C. 14.26(120).
6. ANY FUTURE LAND USE AND DEVELOPMENT ACTIVITIES MUST COMPLY WITH ALL APPLICABLE PROVISIONS OF S.C.C. 14.24, THE OPTICAL AREA ORDINANCE.
7. BASIS OF BEARING: MONUMENTS IN CASE ALONG EAST LINE OF SOUTHEAST 1/4 SECTION 20, T4N 34N, R3E 3E, W.M. HAVING A BEARING OF N00°00'00"E ELECTRONIC DISTANCE MEASURING THEODOLITE.
8. THIS SURVEY WAS PERFORMED BY FIELD TRAVERSE USING A 3" SECOND ELECTRONIC DISTANCE MEASURING THEODOLITE.
9. LEGAL DESCRIPTION TAKEN FROM LAND TITLE AND ESCROW COMPANY ORDER NO. 142919-S.
10. NO BUILDING PERMIT SHALL BE ISSUED FOR ANY RESIDENTIAL AND/OR COMMERCIAL STRUCTURES WHICH ARE NOT AT THE TIME OF APPLICATION DETERMINED TO BE WITHIN AN OFFICIALLY DESIGNATED SKAGIT COUNTY FIRE DISTRICT.
11. CHANGE IN LOCATION OF ACCESS MAY NECESSITATE A CHANGE OF ADDRESS. CONTACT SKAGIT COUNTY PLANNING AND DEVELOPMENT SERVICES, A SKAGIT COUNTY ADDRESS RANGE HAS BEEN APPLIED TO THE ROAD SYSTEM IN THIS SUBDIVISION. AT THE TIME OF APPLICATION FOR BUILDING AND/OR ACCESS, SKAGIT COUNTY GIS WILL ASSIGN INDIVIDUAL ADDRESSES IN ACCORDANCE WITH THE PROVISIONS OF SKAGIT COUNTY CODE 15.24.
12. SKAGIT COUNTY TAX PARCEL NOS: P229904, P22207, P22209
13. OWNER OF RECORD: ESTATE OF ROBERT R. HART, 15920 BEST RD., MT. VERNON, WA. 98273.
14. A LOT OF RECORD CERTIFICATION HAS BEEN ISSUED FOR ALL LOTS INCLUDED IN THIS LAND DIVISION. BY VIRTUE OF RECORDING THIS LAND DIVISION AND ISSUANCE OF THE LOT CERTIFICATION, ALL LOTS THEREIN SHALL BE CONSIDERED LOTS OF RECORD FOR CONVEYANCE AND DEVELOPMENT PURPOSES UNLESS OTHERWISE RESTRICTED. SEE AF# 201504010044
15. ALL RUNOFF FROM IMPERVIOUS SURFACES, ROOF DRAINS SHALL BE DIRECTED SO AS NOT TO ADVERSELY AFFECT ADJACENT PROPERTIES.
16. LOT 4 IS DEDICATED IN ITS ENTIRETY TO AN AGRICULTURAL CONSERVATION EASEMENT AND IS NOT FOR ADDITIONAL RESIDENTIAL BUILDING PURPOSES. SEE INSTRUMENT RECORDED UNDER AUDITOR'S FILE NO. 201504010045
17. SEWAGE DISPOSAL: INDIVIDUAL SEPTIC SYSTEMS.
18. WATER: LOT 1, 2, 3 AND 4 ARE SERVED BY SKAGIT COUNTY P.U.D. #1
19. LOTS 1, 2, 3, AND 4 ARE WITHIN SPECIAL FLOOD HAZARD AREA ZONE A7 PER FIR MAP 530151 0250C DATED JAN. 3, 1985. ANY DEVELOPMENT IN THIS AREA WILL NEED TO COMPLY WITH SCC 14.34.



20. THIS PARCEL LIES WITHIN AN AREA OR WITHIN 500 FEET OF AN AREA DESIGNATED AS NATURAL RESOURCE LANDS (AGRICULTURAL, FOREST AND MINERAL RESOURCES OF LONG TERM COMMERCIAL SIGNIFICANCE) IN SKAGIT COUNTY. A VARIETY OF NATURAL RESOURCE LAND COMMERCIAL ACTIVITIES OCCUR OR MAY OCCUR IN THE AREA THAT MAY NOT BE COMPATIBLE WITH NON-RESOURCE USES AND MAY BE INCONVENIENT OR CAUSE DISCOMFORT TO AREA RESIDENTS. THIS MAY ARISE FROM THE USE OF CHEMICALS; OR FROM SPRAYING, BURNING, HARVESTING, OR MINERAL EXTRACTION WITH ASSOCIATED ACTIVITIES WHICH OCCASIONALLY GENERATES TRAFFIC, DUST, SMOKE, NOISE, AND ODOOR. SKAGIT COUNTY HAS ESTABLISHED NATURAL RESOURCE MANAGEMENT OPERATIONS AS A PRIORITY USE ON DESIGNATED NATURAL RESOURCE LANDS, AND AREA RESIDENTS SHOULD BE PREPARED TO ACCEPT SUCH INCONVENIENCES, OR DISCOMFORT FROM NORMAL, NECESSARY NATURAL RESOURCE LAND OPERATIONS WHEN PERFORMED IN COMPLIANCE WITH BEST MANAGEMENT PRACTICES AND LOCAL, STATE AND FEDERAL LAW. IN THE CASE OF MINERAL LANDS, APPLICATION MIGHT BE MADE FOR MINING-RELATED ACTIVITIES, INCLUDING EXTRACTION OF MINERALS. IN ADDITION, GREATER SETBACKS THAN TYPICAL MAY BE REQUIRED FROM THE RESOURCE AREA, CONSISTENT WITH SCC 14.16.810. CONTACT SKAGIT COUNTY PLANNING AND DEVELOPMENT SERVICES FOR DETAILS.

201504010043
 Skagit County Auditor
 4/1/2015 Page 2 of 3 1:58PM

SHORT PLAT NO. PL12-0352

SURVEY IN SOUTH HALF SECTION 20 & NORTH HALF SECTION 29 T4N 34N, R3E 3E, W.M.

ESTATE OF ROBERT R. HART

FOR

AZIMUTH NORTHWEST INC.
 17963 WOOD RD.
 BOW, WASHINGTON 98232

FLD BK 155 AZIMUTH NORTHWEST INC. SHEET 2 OF 3
 CHKD SVB BOW, WASHINGTON 98232 JOB NO. 12.1063

UNOFFICIAL

ORIGINAL LEGAL DESCRIPTION

PARCEL 'A': THE SOUTH HALF OF THE SOUTHEAST QUARTER OF SECTION 20, TOWNSHIP 34 NORTH, RANGE 3 EAST, W.M.; EXCEPT THE SOUTH 135 FEET THEREOF; ALSO EXCEPT A 20 FOOT STRIP FOR ROAD PURPOSES ALONG AND ADJOINING THE WEST LINE OF SAID PREMISES;

ALSO EXCEPT THE FOLLOWING DESCRIBED TRACT:

BEGINNING AT THE NORTHEAST CORNER OF SAID SUBDIVISION; THENCE SOUTH 496.2 FEET; THENCE SOUTH 75 DEGREES 36' WEST ALONG THE CENTERLINE OF A DITCH 300.66 FEET; THENCE NORTH 61 DEGREES 55' WEST ALONG SAID CENTERLINE 32.02 FEET; THENCE NORTH 42 DEGREES 34' WEST ALONG SAID CENTERLINE 576.48 FEET; THENCE NORTH 4 DEGREES 16' EAST ALONG SAID CENTERLINE, 131.89 FEET, MORE OR LESS, TO THE NORTH LINE OF SAID SUBDIVISION; THENCE EAST ALONG SAID SUBDIVISION LINE 700 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

SITUATE IN THE COUNTY OF SKAGIT, STATE OF WASHINGTON.

PARCEL 'C':

THE SOUTH 135 FEET OF THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 20, TOWNSHIP 34 NORTH, RANGE 3 EAST, W.M., IN SKAGIT COUNTY, WASHINGTON; EXCEPT THE EAST 30 FEET THEREOF CONVEYED TO SKAGIT COUNTY FOR ROAD PURPOSES BY DEED RECORDED UNDER AUDITORS FILE NO. 630772.

SITUATE IN THE COUNTY OF SKAGIT, STATE OF WASHINGTON.

PARCEL 'F': (portion of)

A TRACT OF LAND IN GOVERNMENT LOT 5 AND THAT PORTION OF GOVERNMENT LOT 4 AND THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF SECTION 29, TOWNSHIP 34 NORTH, RANGE 3 EAST, W.M., DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHEAST CORNER OF SAID SECTION 29; THENCE NORTH 88 DEGREES 42' WEST 2066.9 FEET ALONG ITS NORTH LINE; THENCE SOUTH 2517 FEET TO PORTER'S SLOUGH; THE SOUTH LINE OF SAID LOT 4; THENCE NORTHEASTERLY ALONG THE SOUTH LINE OF LOTS 4 AND 5 TO THE EAST LINE OF SAID SECTION 29; THENCE NORTH TO PLACE OF BEGINNING.

SITUATE IN THE COUNTY OF SKAGIT, STATE OF WASHINGTON.

LEGAL DESCRIPTION (total platted parcel)

THAT PORTION OF THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 20, TOWNSHIP 34 NORTH, RANGE 3 EAST, W.M., GOVERNMENT LOT 4 AND GOVERNMENT LOT 5, IN SECTION 29, TOWNSHIP 34 NORTH, RANGE 3 EAST, W.M., MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHWEST CORNER OF SAID SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 20, TOWNSHIP 34 NORTH, RANGE 3 EAST, W.M.; THENCE NORTH 0 DEGREES 13'52" EAST ALONG THE WEST LINE OF SAID SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER TO THE NORTHWEST CORNER OF SAID SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER; THENCE SOUTH 88 DEGREES 50'46" EAST ALONG THE NORTH LINE OF THE CENTERLINE OF AN EXISTING DITCH; THENCE ALONG THE SAID DITCH CENTERLINE THE FOLLOWING COURSES AND DISTANCES: SOUTH 00 DEGREES 35'00" EAST A DISTANCE OF 27.08 FEET; THENCE SOUTH 07 DEGREES 47'38" WEST A DISTANCE OF 67.84 FEET; THENCE SOUTH 38 DEGREES 45'00" EAST A DISTANCE OF 216.84 FEET; THENCE SOUTH 42 DEGREES 20'27" EAST A DISTANCE OF 378.54 FEET TO THE BEGINNING OF A CURVE TO THE LEFT HAVING A RADIUS POINT BEARING NORTH 47 DEGREES 39'23" EAST AT A DISTANCE OF 42.14 FEET; THENCE SOUTHWESTERLY ALONG SAID CURVE AN ARC DISTANCE OF 45.54 FEET THRU A CENTRAL ANGLE OF 81 DEGREES 34'50" THENCE NORTH 75 DEGREES 44'43" EAST A DISTANCE OF 257.49 FEET TO THE WESTERLY RIGHT OF WAY MARGIN OF BEST ROAD; THENCE SOUTH 00 DEGREES 00'00" WEST ALONG THE WESTERLY MARGIN OF BEST ROAD A DISTANCE OF 847.40 FEET; THENCE SOUTH 00 DEGREES 19'08" WEST TO THE CENTERLINE OF PORTER'S SLOUGH A DISTANCE OF 478.15 FEET; THENCE ALONG THE SAID CENTERLINE OF PORTER'S SLOUGH THE FOLLOWING COURSES AND DISTANCES: THENCE SOUTH 63 DEGREES 34'27" WEST A DISTANCE OF 114.46 FEET; THENCE SOUTH 53 DEGREES 23'27" WEST A DISTANCE OF 35.14 FEET; THENCE SOUTH 71 DEGREES 05'56" WEST A DISTANCE OF 66.90 FEET; THENCE SOUTH 74 DEGREES 47'49" WEST A DISTANCE OF 60.96 FEET; THENCE SOUTH 66 DEGREES 08'28" WEST A DISTANCE OF 42.74 FEET; THENCE SOUTH 44 DEGREES 51'37" WEST A DISTANCE OF 42.74 FEET; THENCE SOUTH 37 DEGREES 55'05" WEST A DISTANCE OF 340.86 FEET; THENCE SOUTH 31 DEGREES 45'47" WEST A DISTANCE OF 37.40 FEET; THENCE SOUTH 63 DEGREES 08'01" WEST A DISTANCE OF 38.00 FEET; THENCE SOUTH 67 DEGREES 26'03" WEST A DISTANCE OF 111.53 FEET; THENCE SOUTH 52 DEGREES 49'51" WEST A DISTANCE OF 56.90 FEET; THENCE SOUTH 04 DEGREES 00'15" WEST A DISTANCE OF 39.76 FEET; THENCE SOUTH 04 DEGREES 01'08" WEST A DISTANCE OF 41.58 FEET; THENCE SOUTH 16 DEGREES 41'54" EAST A DISTANCE OF 79.35 FEET; THENCE SOUTH 03 DEGREES 01'41" EAST A DISTANCE OF 55.93 FEET; THENCE SOUTH 03 DEGREES 05'39" EAST A DISTANCE OF 125.59 FEET; THENCE SOUTH 03 DEGREES 28'32" EAST A DISTANCE OF 106.43 FEET; THENCE SOUTH 11 DEGREES 39'54" EAST A DISTANCE OF 44.84 FEET; THENCE SOUTH 01 DEGREES 34'57" WEST A DISTANCE OF 50.40 FEET; THENCE SOUTH 20 DEGREES 17'32" WEST A DISTANCE OF 48.96 FEET; THENCE SOUTH 51 DEGREES 10'48" WEST A DISTANCE OF 53.77 FEET; THENCE SOUTH 54 DEGREES 18'27" WEST A DISTANCE OF 113.09 FEET; THENCE SOUTH 44 DEGREES 56'17" WEST A DISTANCE OF 63.09 FEET; THENCE SOUTH 38 DEGREES 08'25" WEST A DISTANCE OF 42.30 FEET; THENCE SOUTH 25 DEGREES 19'47" WEST A DISTANCE OF 52.90 FEET; THENCE SOUTH 22 DEGREES 36'49" WEST A DISTANCE OF 60.46 FEET; THENCE SOUTH 36 DEGREES 48'03" WEST A DISTANCE OF 59.67 FEET; THENCE SOUTH 41 DEGREES 35'49" WEST A DISTANCE OF 73.03 FEET; THENCE SOUTH 48 DEGREES 25'41" WEST A DISTANCE OF 62.59 FEET; THENCE SOUTH 54 DEGREES 13'44" WEST A DISTANCE OF 63.02 FEET; THENCE SOUTH 59 DEGREES 13'26" WEST A DISTANCE OF 66.44 FEET; THENCE SOUTH 71 DEGREES 18'29" WEST A DISTANCE OF 121.17 FEET; THENCE SOUTH 84 DEGREES 28'14" WEST A DISTANCE OF 40.60 FEET TO A POINT BEARING SOUTH 01 DEGREE 09'11" WEST FROM THE POINT OF BEGINNING; THENCE LEAVING SAID PORTER SLOUGH CENTERLINE NORTH 01 DEGREE 09'11" EAST A DISTANCE OF 2167.42 FEET TO THE POINT OF BEGINNING. Containing 72.48 Acres.

SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THE BOUNDARIES OF THIS SHORT PLAT SUBDIVISION ARE BASED ON AN ACTUAL SURVEY, WHICH IS RETRACEABLE AND BASED ON A TRUE SUBDIVISION OF THE SECTION. THAT THE DISTANCES, COURSES AND ANGLES ARE SHOWN HEREON CORRECTLY AND THAT LOT CORNERS HAVE BEEN SET ON THE GROUND AS SHOWN ON THE SHORT CARD SUBDIVISION IN ACCORDANCE WITH THE PROVISIONS CONTAINED IN CHAPTER 332-120-WAC.

STUART B. VANBUREN, JR., P.L.S. DATE: CERTIFICATE NO. 21591 AZIMUTH NORTHWEST, INC. 17963 WOOD ROAD BOW, WA 98232 PHONE: 360-724-7326



AUDITOR'S CERTIFICATE Filed for Record at the request of AZIMUTH NORTHWEST, INC.



YOUNG RIST DEPUTY

CONSENT

KNOW ALL PERSONS BY THESE PRESENTS THAT THE UNDERIGNED SUBDIVISORS HEREBY CERTIFY THAT THIS SHORT PLAT SUBDIVISION IS MADE AS THEIR FREE AND VOLUNTARY ACT AND DEED.

BY: MARJORIE E. HART Personal Representative of the Estate of ROBERT R. HART

ACKNOWLEDGMENT

STATE OF WASHINGTON COUNTY OF SKAGIT

ON THIS 3 DAY OF February 2015 BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC IN AND FOR THE STATE OF WASHINGTON, DULY COMMISSIONED AND SWORN, PERSONALLY APPEARED MARJORIE E. HART FOR THE ESTATE OF ROBERT R. HART, TO ME KNOWN TO BE THE INDIVIDUAL DESCRIBED IN AND WHO EXECUTED THE WITHIN AND FOREGOING INSTRUMENT, AND ACKNOWLEDGED THAT SHE SIGNED AND SEALED THE SAME AS HER FREE AND VOLUNTARY ACT AND DEED, FOR THE PURPOSES THEREIN MENTIONED.

WITNESS MY HAND AND OFFICIAL SEAL HERETO AFFIXED THE DAY AND YEAR ABOVE WRITTEN.

NOTARY PUBLIC IN AND FOR THE STATE OF WASHINGTON RESIDING AT 1801 1/2 N. 1st St. Bow, WA 98232 MY COMMISSION EXPIRES 8-9-15

TREASURER'S CERTIFICATE

THIS IS TO CERTIFY THAT ALL TAXES HERETOFORE LEVIED AND WHICH HAVE BECOME A LIEN UPON THE LANDS HEREIN DESCRIBED HAVE BEEN FULLY PAID AND DISCHARGED ACCORDING TO THE RECORDS OF THE OFFICE, UP TO AND INCLUDING THE YEAR OF 2015

SKAGIT COUNTY TREASURER BY: DEPUTY



APPROVALS

THE WITHIN AND FOREGOING SHORT PLAT APPROVED IN ACCORDANCE WITH THE PROVISIONS OF THE SKAGIT COUNTY SHORT PLAT ORDINANCE THIS 27th DAY OF March 2015

SHORT PLAT ADMINISTRATOR COUNTY ENGINEER

SKAGIT COUNTY HEALTH OFFICER

SHORT PLAT NO. PL12-0352

SURVEY IN SOUTH HALF SECTION 20 & NORTH HALF SECTION 29 TWN 34N., RNG 3E., W.M. FOR ESTATE OF ROBERT R. HART

Table with 4 columns: FLD BK 155, CHKD SVB, AZIMUTH NORTHWEST INC., SHEET 3 OF 3