

08/19/2021 08:26 AM Pages: 1 of 1 Fees: \$203.50 Skagit County Auditor

Return to Summers

DA Box 1476

MITIGATION PLAN ADDENDUM
HOLIDAY HIDEAWAY WELLHEAD PROTECTION AREA

Property Owner/Granter: Jeff Summers

Grantee: PUBLIC

Property ID #: P65921 Assessor's Tax Account #: 3926-004-020-0003

Legal Description: SE ¼ NW ¼ Section 08 Township 35, Range 02

This property is located in the wellhead protection are for the Guemes Island Water Company public water system. These additional precautions to the original Mitigation Plan have been specified by the operators of the public water system in order to protect the source of this water system. These precautions are associated with permit #PL21-0431 and are:

- 1. The septic system on the property shall be installed by a licensed septic contractor.
- The water company shall be allowed to have a third party review the septic system design before county
 approval of the septic permit and installation in order to evaluate potential impacts to the water source.
- 3. After installation, the septic system shall be inspected every three years by a licensed maintenance specialist for on-site septic systems. Documentation of the inspection signed by the inspector shall be sent to the water system. Any problems with the septic system operation will be corrected immediately and any damage sustained by the water system related to a septic system failure on the property shall be remediated by the septic system property owner.
- 4. All fill used on the property must be clean fill.
- 5. The property owner shall acknowledge concerns by the water system that a mobile home brought on the property be of sufficient quality so as not to cause environmental problems such as leaching of pollutants on to the land or containing lead and copper.