

SKAGIT COUNTY DRAINAGE DISTRICT #19

District Profile

Miles of Ditches: 50 miles
Value of Ditches: \$3.2 million
Number of Pumps: 3
Value of Pumps: \$200,000
Number of Tide Gates: 18
Value of Tide Gates: \$900,000 (at \$50,000 each)
Value of Equipment Owned: Mower/Tractor \$83,000
Value of Area Served: \$560,261,700

Critical Facilities (Owned by District):

- 1. pump stations approximate value: \$200,000
- 2. tide gates approximate value: \$2.4 million

Natural Hazard Vulnerability Analysis Rating

This District is most vulnerable to the following natural hazards - ranked in order:

- 1. Flood
- 2. Earthquake

Proposed Natural Hazard Mitigation Measures

| Mitigation Measure | Lead Agency | Funding Source | Time Line |
|--------------------------------------|--------------------|-----------------------------|---|
| Additional pumps on Channel Drive | Commissioners | Grant funding And Budget | Short Term – Due to permit issues, these mitigation goals were deferred and are hereby re-affirmed for the 2008 – 2013 plan cycle. |
| Increase Ditch Size (Higgins Slough) | Commissioners | Grant funding and Budget | Long Term/Ongoing - Due to permit issues, these mitigation goals were deferred and are hereby re-affirmed for the 2008 – 2013 plan cycle. |

Service Trends: Increase development on Bayview and increased run-off into district drainage system.

Existing Applicable Natural Hazard Mitigation Policies, Ordinances and Codes:
Washington State RCW 85.06