

ADDENDUM NO. 2

May 5, 2022

Northern State Recreation Area Trailhead and Park Project #RCO 18-1609

NOTICE TO PROSPECTIVE

BIDDERS

NOTICE IS HEREBY GIVEN BY SKAGIT COUNTY that the Bid Documents have been modified as follows:

1. Bid Proposal, Pg 4 of 17, Item No, 13, Asphalt Patch,

Bid Item No. 13 "Asphalt Patch Section 5-04 will now instead reference 5-04 SP, and the attached specifications for EZ Street asphalt patching material as produced by Lakeside Industries and is readily available in bulk for pickup or delivery from Anacortes. There is no change to the bid quantity or plan detail at this time.

2. Bid Proposal, Pg 4 (5 of 17), Item No. 41, Nameplate Signs,

On page 4 (5 of 17) of the Bid Proposal, the Quantity on Bid item # 41, Nameplate Signs) has been revised from four to eight, as reflected on plan sheet L-2 of the Vicinity Maps Plans, pg. 9 of 23.

Bids must be submitted using the new proposal form included as part of this addendum.

This Addendum provides clarification and answer to Contractor questions received via email and as brought up at the pre-bid jobsite meeting.

The following modifications, additions, or deletions are hereby incorporated into the contract documents.

Bidder Questions:

Question 1: Where is the rockery wall (Bid Item #28)? What are the top and bottom elevations?

Response: See sheet C4 Detail F for the rockery wall information. The wall will have no more than 4ft of exposed face (5ft total height). Top grade will be close to the adjacent path elevation and bottom will vary. Construction staking will indicate the finish grades. (Semrau Engineering & Survey)

Question 2: The sleeve material in the top of the sign/seat wall does not appear to be specified. Are those embedded sleeves steel or aluminum?

Response: The sleeve material in the concrete seat sign wall may be any material, including PVC. (ECCOS Design)

Question 3: Other metal fab for the bench mounts at the tops of the walls does not appear to be specified as well. Are those steel or aluminum?

Response: Bench brackets may be steel or aluminum but must be galvanized or powder coated per drawing notes. (ECCOS Design)

Question 4: Are flags to be supplied by the contractor? If so, I could not find manufacturer preference or sizing.

Response: Flags are listed as B1-47 and BI-48. Flag manufacturer is listed in SPEC 12 93 00 as well as Sheet L-8. (ECCOS Design)

Question 5: Cold patch asphalt at the perimeter of the ADA parking will not perform well in the long term. Is that supposed to be HMA as covered under bid item #13 which references standard specification 5-04?

Response: Due to the small amount of material, the mobilization costs to use HMA were thought to be excessive. The intent of Bid Item #13 was to convey the use of Cold Patch. Modification #1 of this Addendum 2 has replaced the listed specification of 5-04 with 5-04SP and the included specifications for the Lakeside-produced EZ Street Cold patch. (Semrau Engineering & Surveying).

Question 6: Page 26, Spec 04 05 13 1.06 – This requires a manufacturer's and contractor's warranty for 10 years. For such a small project, and being outside, is this in fact required? If so, will the contractor be required to bond the project for 10 years? If vandalism occurs how does that affect the warranty? Having just the 1-year overall project warranty on this seems to make more sense.

Response: Yes, the required warranty is 10 years. No, the contractor is not required to provide a bond for 10 years. If Vandalism occurs this is outside of the "materials and workmanship" warranty and not the responsibility of the contractor. The area vandalized will no longer be subject to "materials and workmanship" warranty if the vandalism compromises the "materials and workmanship" of the original installation. (ECCOS Design)

Question 7: Page 39, Spec 32 14 00 1.4B says "Utilize an installer with job foreman holding a current certificate from the Interlocking Concrete Pavement Institute Concrete Paver Installer Certification program." For such a small job can this requirement be waived?

Response: Yes, this requirement can be waived. (ECCOS Design)

Question 8: Will the walking trail on the berms and the swale be mowed before June?

Response: The existing berm trail top will be mowed but the new trail area on the outer

berm and the swale in between will not be mowed, as they cannot access it.
(Skagit County Parks)

Question 9: Will the proposed plaza area be mowed by start of construction?

Response: Yes, the plaza area will be mowed by start of construction.
(Skagit County Parks)

Question 10: Will we need to screen the Topsoil B (for rocks)?

Response: This is addressed in WSDOT Standard Spec 8-02.3(4) Topsoil.
(Semrau Engineering & Surveying)

Question 11: Included in the Proposal is the “Bidder’s Qualification Certificate” which states that we are to “list and provide a brief summary of several recent construction project performed that meet the Supplemental Responsible Bidder Criteria as specified in this contract.” I do not see Supplemental Responsible Bidder Criteria included in the contract. Can you please clarify what criteria we need to meet?

Response: Please specify similar types of jobs you have performed with a similar scope and cost. (Skagit County Parks)

Question 12: •Addendum #1 provided to bidders on 4/28 – The last page states that “This addendum must be acknowledged on the revised proposal packet dated April 27, 2022.” I do not see that a revised proposal packet dated 4/27 was provided with the Addendum. Can you please clarify how to properly acknowledge this addendum?

Response: The bid proposal packet has since been revised. Please use the bid proposal acknowledgement of the addendums on page 7 (signature page) of the revised proposal packet included in this Addendum.
(Skagit County Parks)

Question 13: What is the model number for the medallions? The Spec 12-93-00-2.4-A-2 is the same as the flagpole.

Response: The specified service medallion from Bronzememorials.net is referred to as ‘3D Modelled Bronze Military Seal’. There is no number, just that name.
(ECCOSS Design)



TECHNICAL SPECIFICATIONS FOR EZ STREET® ASPHALT PATCHING MATERIAL

GENERAL

This bituminous patching mix is designed to be applied in the ambient temperature range of 0° F through 100° F. The mixture will provide satisfactory coating; workability and adhesion characteristics while functioning during cold to hot or dry to wet climatic conditions.

LIQUID ASPHALT BLEND

The liquid asphalt component used shall be PG 64-22 conforming to the specifications of the Texas Department of Transportation, Binder Specification and Testing, Series SP-1, a dilution which complies with the requirements and applicable specifications of the American Petroleum Institute (API), and a polymer additive of high quality that improves cohesion and adhesion properties and is capable of passing AASHTO-T-182 as modified herein.

JOB MIX FORMULA		
EZ Street Asphalt Aggregate Specifications		
Sieve		EZ Street® Cold Mix
1/2	13 mm	100
3/8	9.5mm	93-100
#4	4.75mm	44-52
#8	2.36mm	12-20
#200	0.75µm	0-1.8
Bituminous Specifications		
Asphalt Binder PG64-22	0.5%	+/-0.2%
EZ Street® Liquid Blend	4.5%	+/-0.2%
Total Asphalt Content	5.0%	+/-0.4%

TEST	METHOD	SPECIFICATION
Aggregate Gradation	AASHTO T-30	See above for Specification
Bulk Specific Gravity Absorption	AASHTO T-85	> 2.60 < 2.0
Micro-Deval	AASHTO TP 58-02	18% Max.
Rotational Viscometer	AASHTO T 315	250 – 500 cP @ 60° C
Stripping Test	AASHTO T 182	> 95 %
Gradation of Extracted Agg.	AASHTO T308	See above, Aggregate Specification
Cohesion Test	US Army Corps of Engineers	> 90 %
Workability Test	US Army Corps of Engineers	< 3

TECHNICAL INFORMATION

The aggregate is heated (300° F, +/- 50° F) and precoated with 0.5 percent binder PG64-22. The precoated material is allowed to cool over night. The precoated aggregate is reintroduced into a heated dryer not more than 60° C (140° F). The precoated aggregate and EZ-Street® liquid asphalt is proportioned into the mixer and mixed for at least 30 seconds or until a uniformly coated mixture is obtained. The liquid asphalt is heated to a temperature of 93° C, +/- 28° C (200° F, +/-50° F), at the time of mixing.

EZ STREET® LIQUID BLEND SPECIFICATION

GENERAL

This specification governs the **EZ Street Liquid Asphalt Blend** utilized in the production of **EZ Street High Performance Patching Material**. The **EZ Street** Liquid Asphalt Blend shall not strip from the **approved aggregate** and shall be available in various seasonal grades which yield a total ambient temperature workability range of -15°F (-26°C) to 100°F (38°C). The EZ Street Liquid Asphalt Blend will impart to the aggregate qualities, which will allow the EZ Street High Performance Patching Material to be effective and suitable for wet or dry weather conditions. The EZ Street Blend will give the patching mixture excellent coating, workability and adhesion characteristics. The resulting stockpiles of EZ Street Cold Mix of 100 tons or more must maintain all performance features for at least 12 months. The EZ Street Company will determine the appropriate grade of EZ Street Liquid Asphalt Blend based on the

region, season and approved aggregate. EZ Street shall meet the requirements ASTM D2027.

EZ STREET LIQUID ASPHALT BLEND (FULL SCALE ENCOMPASSING ALL GRADES)

Kinematic Viscosity @ 140°F (60°C)	ASTM D 2170	100 to 4000 cSt (mm ² /s)
Flash Point, Tag Open Cup	ASTM D 1310	200°F (93°C) minimum
Or Florida Tag Open Cup	ASTM D 92	200°F (93°C) minimum
Percentage of Water	ASTM D 95	Less Than 0.2%
Distillation to 680°F (360°C)	ASTM D 402	See Values Below

Temperature	Volume % Total Distillate		Volume % Original Sample	
	Minimum	Maximum	Minimum	Maximum
to 437°F (225°C)	0	0	0	0
to 500°F (260°C)	0	0.5	0	0
to 600°F (316°C)	10	65	0	18
Residue from distillation to 680°F (360°C) % Volume by Difference			73	95

TESTS ON RESIDUE FROM DISTILLATION

Absolute Viscosity @ 140°F (60°C)	ASTM D 2171	75 to 425 Poise (10 ⁻¹ Pa · s)
Penetration, Modified With Cone	ASTM D 5¹	180 minimum
Ductility, 39°F (4°C), 1 cm/minute	ASTM D 113	100 minimum
Solubility In Trichlorethylene	ASTM D 2042	99.0% minimum

Note 1 Make this test in accordance with ASTM Method D 5, except utilize a penetration cone in place of the standard penetration needle. The cone shall conform to the requirements given in ASTM Method D 217, except that the interior construction may be modified as one desires. The total moving weight of the cone and attachments must be 150.0 plus or minus 0.1 grams. Also, the level of the water in the transfer dish shall be lowered to less than the height of the sample cup and decant any water from the surface of the sample before transferring from the constant temperature bath to the penetrometer.



Proposal For Bidding Purposes

For the Construction of:

**Northern State Recreation Trailhead and
Park Project #RCO 18-1609**



**SKAGIT COUNTY
Skagit County Parks and Recreation
1730 Continental Place
Mount Vernon, WA 98273**

BID PROPOSAL

**NSRA Trailhead and Park
Project #RCO 18-1609**

Skagit County, Washington

2022

**** ENTIRE PROPOSAL TO BE RETURNED AS YOUR BID PACKAGE ****

All bid envelopes must be plainly marked on the outside, **“Sealed Bid: NSRA Trailhead and Park Project”**

BID DUE DATE AND TIME: Monday, May 9, 2022 at 2:30 p.m.

Late and/or incomplete bids will not be considered. Oral, telephonic, telegraphic, electronic, or faxed proposals will not be accepted.

Sealed Bids will be accepted at the following location by one of the following delivery methods:

Bids May be Hand-Delivered or Mailed to:

Skagit County Commissioners Office
Attn: Reception Desk
Sealed Bid: NSRA Trailhead and Park
1800 Continental Place
Mount Vernon, WA 98273

**FAILURE TO SIGN OR COMPLETE ALL INFORMATION ON THE FORMS PROVIDED CAN RESULT IN
REJECTION OF THE PROPOSAL AS NON-RESPONSIVE**

CONDITION OF AWARD:

It is the intent of Skagit County to award a contract to the lowest responsive and responsible bidder. All terms and conditions listed in the Contract Provisions and Specifications apply to this condition.

MANDATORY BIDDER CRITERIA:

Before award, the bidder must meet the following bidder responsibility criteria to be considered a responsible bidder. The bidder may be required by Skagit County to submit documentation demonstrating compliance with the criteria. The bidder must:

1. Have a current certificate of registration as a contractor in compliance with chapter 18.27 RCW, which must have been in effect at the time of bid submittal.
2. Have a current Washington Unified Business Identifier (UBI) number.
3. Have Industrial Insurance (workers' compensation) coverage for the bidder's employees working in Washington, as required in Title 51 RCW. Not applicable to sole proprietors if the owner performs work himself/herself.
4. Have a Washington Employment Security Department number (ESD), as required in Title 50 RCW **(and, if the lowest responsive and responsible bidder, provide documentation from ESD in the form of a letter or statement within 24 hours of submitting bid);**
5. Have a Washington Department of Revenue state excise tax registration number, as required in Title 82 RCW;
6. Not be disqualified from bidding on any public works contract under RCW 39.06.010 or 39.12.065(3) and;
7. Not be excluded or suspended from bidding on any public works contract under federal laws.

SCHEDULE:

Contractor shall not commence work until notice to proceed has been given by Skagit County; this occurs after the Contract has been executed by Skagit County Board of County Commissioners.

PAYMENT:

Invoices can be submitted after work is performed. Payment is made when the Contractor has filed his/her "Intent to Pay Prevailing Wages" with the Washington State Department of Labor and Industries. Final payment is made when the Contractor has filed his/her "Affidavit of Paying Prevailing Wages".

FAILURE TO SIGN OR COMPLETE ALL INFORMATION ON THE FORMS PROVIDED CAN RESULT IN REJECTION OF THE PROPOSAL AS NON-RESPONSIVE

This certifies that the undersigned has examined the entire bid proposal and contract provisions and specifications for the:

**NSRA Trailhead and Park
Project #RCO 18-1609**

and the contract governing the work embraced in this project, and the method by which payment will be made for said work, is understood. The undersigned hereby proposes to undertake and complete the work, or as much thereof as can be completed with the money available in accordance with the said description of work and contract, and the following schedule of rates and prices. Bidder acknowledges all requirements and signed all certificates contained herein. Bidder agrees to pay labor not less than the prevailing rates of wages in accordance with the requirements of the special provisions for this project.

Please use ink, print legibly, and initial and date any changes, erasures, or cross-outs. All unit prices, when relevant, are mandatory and shall control.

THE CONTRACTOR SHALL INCLUDE FOR COMPENSATION THE AMOUNT OF ANY TAXES PAID IN THE VARIOUS UNIT BID PRICES IN ACCORDANCE WITH SECTION 1-07.2(1)						
Item No.	Section	Description	Quantity	Unit	Unit Price	Amount
1	1-09	Mobilization	1	LS		
2	2-01SP	Grubbing (0.76 Ac)	1	LS		
3	2-02	Remove Existing Sidewalk	1	LS		
4	2-02	Removal of Asphalt Pavement (73 SY)	1	LS		
5	2-02SP	Sawcut of existing Asphalt pavement	81	LF		
6	2-03	Embankment Compaction	294	CY		
7	2-03SP	Excavation of Swale	1	LS		
8	2-11	Trimming and Cleanup	1	LS		
9	2-12	Construction Geotextile	700	SY		
10	4-03SP	Gravel Borrow	677	TON		
11	4-04	Crushed Surfacing Top Course	51	TON		
12	4-04SP	Stone Sand	551	TON		
13	5-04SP	Asphalt Patch	11	TON		
14	5-05	Cement Conc. Pavement, 6"	85	SY		
15	7-02	CPE Culv. Pipe 24" Diam.	52	LF		
16	7-02	CPE Culv. Pipe 12" Diam.	26	LF		
17	7-02	CPE Culv. Pipe 8" Diam.	12	LF		
18	8-01	High Visibility Fencing	935	LF		
19	8-01	High Visibility Silt Fence	175	LF		
20	8-01SP	Erosion/Water Pollution Control	1	LS		
21	8-01SP	Outlet Protection	1	EA		
22	8-04	Conc Mow Strip, 6"x9"	330	LF		
23	8-04SP	Concrete Wheel Stops	2	EA		
24	8-14	Cement Conc. Sidewalk/Pad, Finish "A"	360	SY		
25	03-35-33	Cement Concrete Sidewalk, Finish "B"	294	SY		
26	8-21	Perm. Signs, ADA/Van w/posts (2)	1	LS		
27	8-22	Pavement Markings and Striping	1	LS		

28	8-24SP	Gravity Rock Wall	60	LF		
29	8-26SP	Round Post Fence	392	LF		
30	8-27SP	Unanticipated Site Work (Force Account)	Est	DOL	1	29,500
31	8-28SP	Bollard, Type 2	2	EA		
32	8-30SP	Hog Fuel Path	49	CY		
33	8-31SP	Temporary Construction Fencing	1	LS		
34	N/A	Paver Areas A & B	825	SF		
		Subtotal Surfacing				

Item No.	Section	Description	Quantity	Unit	Unit Price	Amount
----------	---------	-------------	----------	------	------------	--------

STRUCTURES AND AMENITIES

35	03-35-19	Cast Curved Wall with Seating Bench	8	EA		
36	03-35-19	Cast Curved Wall with sleeves for sign	4	EA		
37	04-43-00	Concrete Columns with Stone Veneer	4	EA		
38	04-43-00	Concrete sign base with Stone Veneer	2	EA		
39	9-03	Washed Drain Rock on Geotextile (at base of walls)	6	CY		
40	N/A	Medallions	6	EA		
41	N/A	Nameplate Signs	8	EA		
42	N/A	Interpretive Sign Frame	2	EA		
43	N/A	Picnic Table	4	EA		
44	12-93-00	Park Bench	3	EA		
45	12-93-00	Plaza Bench A	6	EA		
46	12-93-00	Plaza Bench B	2	EA		
47	12-93-00	Flagpole and Flag-25	8	EA		
48	12-93-00	Flagpole and Flag-35	1	EA		
49	12-93-00	Bike Rack	1	EA		
50	12-93-00	Hitch Post	1	EA		
51	12-93-00	BBQ1	1	EA		
52	12-93-00	BBQ2	3	EA		
		Subtotal Structures and Amenities				

Item No.	Section	Description	Quantity	Unit	Unit Price	Amount
----------	---------	-------------	----------	------	------------	--------

LANDSCAPE

53	32-93-00	Trees	20	EA		
54	32-93-00	Bed Shrubs	153	EA		
55	32-93-00	Perennials	120	EA		
56	32-93-00	Groundcover	281	SF		
57	32-93-00	Hand Seeding	4,900	SY		
58	32-93-00	Sod	3,000	SF		
59	32-93-00	Topsoil Type A	161	CY		
60	32-93-00	Topsoil-Type B	121	CY		
61	32-93-00	Mulch	15	CY		
62	32-93-00	Irrigation System	1	LS		
63	N/A	Steel Edging	120	LF		
		Subtotal Landscape				

Item No.	Section	Description	Quantity	Unit	Unit Price	Amount
----------	---------	-------------	----------	------	------------	--------

SITE UTILITIES

64	N/A	Power to flag lights, outdoor receptacles, irrigation controller, & RV Pad w/ Riser	1	LS		
65	N/A	Up-lights for flag	3	EA		
66	7-09	2" Water Service	1	LS		
67	N/A	Sanitary Yard Hydrant, supply and install	2	EA		
68	7-18SP	Sewer Service to RV pad	1	LS		
		Subtotal Site Utilities				

FAILURE TO SIGN OR COMPLETE ALL INFORMATION ON THE FORMS PROVIDED CAN RESULT IN REJECTION OF THE PROPOSAL AS NON-RESPONSIVE

Project NSRA Trailhead and Park

Date _____

Construction in 2022 is predicated on obtaining funding and all applicable permits to allow construction in the allowable work period specified in this contract. Bid and unit prices shall be binding for the duration of the contract.

<u>COST ELEMENT</u>	<u>AMOUNT</u>
SUBTOTAL SURFACING	<input type="text"/>
SUBTOTAL STRUCTURES & AMMENITIES	<input type="text"/>
SUBTOTAL LANDSCAPE	<input type="text"/>
SUBTOTAL SITE UTILITIES	<input type="text"/>
GRAND TOTAL BID	<input type="text"/>

FAILURE TO SIGN OR COMPLETE ALL INFORMATION ON THE FORMS PROVIDED CAN RESULT IN
REJECTION OF THE PROPOSAL AS NON-RESPONSIVE

PROPOSAL – Signature Page

The bidder is hereby advised that by signature of this proposal he/she is deemed to have acknowledged all requirements and signed all certificates contained herein.

The undersigned hereby agrees to pay labor not less than the prevailing rates of wages in accordance with the requirements of the special provisions for this project.

A proposal guaranty in an amount, which is equal to five percent (5%) of the estimated bid amount, based upon the approximate estimate of above prices and in the form as indicated below is attached hereto:

- ☐ CASHIER'S CHECK In the amount of \$ _____ Dollars
- ☐ CERTIFIED CHECK In the amount of \$ _____ Dollars
(Payable to Skagit County)
- ☐ PROPOSAL BOND In the amount of five percent (5%) of the total estimated bid.

If addendums have been issued:

Receipt is hereby acknowledged of Addendum(s) No.(s) _____

**S
I
G
N**



Signature of Authorized Official(s):

Firm Name:

Address:

Phone No.

State of Washington Contractor's License No. _____

UBI No. _____ Employment Security Department No. _____

Note:

- (1) This proposal form is not transferable and any alteration of the firm's name entered hereon without prior permission from Skagit County will be cause for considering the proposal irregular and subsequent rejection of the bid.
- (2) Please refer to Section 1-02.6 of the Standard Specifications, "Preparation of Proposal", or "Article 4" of the Instruction to Bidders for building construction jobs.

**FAILURE TO SIGN OR COMPLETE ALL INFORMATION ON THE FORMS PROVIDED CAN RESULT IN
REJECTION OF THE PROPOSAL AS NON-RESPONSIVE**

NON-COLLUSION DECLARATION

I, by signing the proposal on page 6, hereby declare, under penalty of perjury under the laws of the United States that the following statements are true and correct:

1. That the undersigned person(s), firm, association or corporation has (have) not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with the project for which this proposal is submitted.
2. That by signing the signature page of this proposal, I am deemed to have signed and have agreed to the provisions of this declaration.

NOTICE TO ALL BIDDERS

To report bid rigging activities call:

1-800-424-9071

The U.S. Department of Transportation (USDOT) operates the above toll free 'hotline' Monday through Friday, 8:00 a.m. to 5:00 p.m., Eastern Standard Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the 'hotline' to report such activities.

The 'hotline' is part of USDOT's continuing effort to identify and investigate highway construction fraud and abuse and is operated under the direction of the USDOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

MUST ACCOMPANY EACH BID

**FAILURE TO SIGN OR COMPLETE ALL INFORMATION ON THE FORMS PROVIDED CAN RESULT IN
REJECTION OF THE PROPOSAL AS NON-RESPONSIVE**

NON-DISBARMENT CERTIFICATION

Are you on Comptroller General's list of Ineligible Contractors or list of parties excluded from Federal procurement or non-procurement programs? ☐ NO ☐ YES

Company Name: _____

Type of Business ☐ Corporation ☐ Partnership (general) ☐ Partnership (limited)
 ☐ Sole Proprietorship ☐ Limited Liability Company

FID #: _____

Company Address: _____

The County/State/Zip: _____

Phone: _____ Fax: _____

E-Mail: _____

Print Name of Signatory: _____

Print Title of Signatory: _____

MUST ACCOMPANY EACH BID

**FAILURE TO SIGN OR COMPLETE ALL INFORMATION ON THE FORMS PROVIDED CAN RESULT IN
REJECTION OF THE PROPOSAL AS NON-RESPONSIVE**

**SUBMIT THE
ENCLOSED PROPOSAL
BOND FORM WITH
YOUR PROPOSAL**

**USE OF OTHER FORMS
MAY SUBJECT YOUR
BID TO REJECTION**

PROPOSAL BOND

KNOW ALL MEN BY THESE PRESENTS, That we, _____

_____ of

_____ as principal, and the

_____ a corporation duly

organized under the laws of the State of _____,
and authorized to do business in the State of Washington, as surety, are held and firmly bound unto
Skagit County in the full and penal sum of five (5) percent of the total amount of the bid proposal of said
principal for the work hereinafter described for the payment of which, well and truly to be made, we bind
our heirs, executors, administrators and assigns, and successors and assigns, firmly by these presents.

The condition of this bond is such, that whereas the principal herein is herewith submitting his or
its sealed proposal for the following construction, to wit:

NSRA Trailhead and Park, Project #RCO 18-1609

said bid and proposal, by reference thereto, being made a part hereof.

NOW THEREFORE, If the said proposal bid by said principal be accepted, and the contract be
awarded to said principal, and if said principal shall duly make and enter into and execute said contract
and shall furnish bond as required by Skagit County within a period of ten (10) days from and after said
award, exclusive of the day of such award, then this obligation shall be null and void, otherwise it shall
remain and be in full force and effect.

IN TESTIMONY WHEREOF, the principal and surety have caused these presents to be signed
and sealed this _____ day of _____, 2022.

(Principal)

(Surety)

(Attorney-in-fact)



Certification of Compliance with Wage Payment Statutes

The bidder hereby certifies that, within the three-year period immediately preceding the bid solicitation date (April 14, 2022), the bidder is not a “willful” violator, as defined in RCW 49.48.082, of any provision of chapters 49.46, 49.48, or 49.52 RCW, as determined by a final and binding citation and notice of assessment issued by the Department of Labor and Industries or through a civil judgment entered by a court of limited or general jurisdiction.

I certify under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Bidder's Business Name

Signature of Authorized Official*

Printed Name

Title

Date

City

State

Check One:

Sole Proprietorship ☐ Partnership ☐ Joint Venture ☐ Corporation ☐

State of Incorporation, or if not a corporation, State where business entity was formed:

If a co-partnership, give firm name under which business is transacted:

** If a corporation, proposal must be executed in the corporate name by the president or vice-president (or any other corporate officer accompanied by evidence of authority to sign). If a co-partnership, proposal must be executed by a partner.*

BIDDER'S QUALIFICATION CERTIFICATE

The undersigned hereby certifies and submits the following qualifications:

1. Name and Address _____

2. Washington Registration No. Expires: _____ / _____ / _____ (M/D/Y)

3. Number of years in contracting business under present name: _____ years

4. Particular types of construction work performed by your company:

5. List and provide a brief summary of several recent construction projects performed that meet the **SUPPLEMENTAL RESPONSIBLE BIDDER CRITERIA** as specified in this contract:

Project 1 Name: _____

Contractor project manager name and phone number: _____

Owner name and phone number: _____

Owner's project manager name and phone number: _____

Description of project and how project meets Supplemental Responsible Bidder
Criteria: _____

Initial contract value: _____

Final contract value: _____

Initial contract time: _____ to _____

Final contract time: _____ to _____

Hydraulic Project Approval Permit Number: _____

Project 2 Name: _____

Contractor project manager name and phone number: _____

Owner name and phone number: _____

Owner's project manager name and phone number: _____

Description of project and how project meets Supplemental Responsible Bidder Criteria: _____

Initial contract value: _____

Final contract value: _____

Initial contract time: _____ to _____

Final contract time: _____ to _____

Hydraulic Project Approval Permit Number: _____

Project 3 Name: _____

Contractor project manager name and phone number: _____

Owner name and phone number: _____

Owner's project manager name and phone number: _____

Description of project and how project meets Supplemental Responsible Bidder Criteria: _____

Initial contract value: _____

Final contract value: _____

Initial contract time: _____ to _____

Final contract time: _____ to _____

Hydraulic Project Approval Permit Number: _____

Project 4 Name: _____

Contractor project manager name and phone number: _____

Owner name and phone number: _____

Owner's project manager name and phone number: _____

Description of project and how project meets Supplemental Responsible Bidder

Criteria: _____

Initial contract value: _____

Final contract value: _____

Initial contract time: _____ to _____

Final contract time: _____ to _____

Hydraulic Project Approval Permit Number: _____

Project 5 Name: _____

Contractor project manager name and phone number: _____

Owner name and phone number: _____

Owner's project manager name and phone number: _____

Description of project and how project meets Supplemental Responsible Bidder Criteria: _____

Initial contract value: _____

Final contract value: _____

Initial contract time: _____ to _____

Final contract time: _____ to _____

Hydraulic Project Approval Permit Number: _____

6. Gross amount of contracts now in hand \$ _____

7. Bank Reference(s):

Name	Address	Account No.	Type
------	---------	-------------	------

a. _____

b. _____

By: _____
(Authorized Signature)

Title: _____

8. Litigation Background (all projects in past 5 years resulting in partial or final settlement of the contract by arbitration or litigation in the courts):

Client	Contract Amount	Total \$ claims	Settlement \$
--------	-----------------	-----------------	---------------

a. _____

b. _____

9. Choose one of the following:

- ☐ Bidder has Industrial Insurance coverage for employees working in Washington as required in Title 51 RCW; or
- ☐ Bidder is not required to have Industrial Insurance coverage as required in Title 512 RCW.

10. Choose one of the following:

- ☐ Bidder's Washington Employment Security Department registration number is _____; or
- ☐ Bidder is not required to register with the Washington Employment Security Department pursuant to Title 50 RCW.

11. Choose one of the following:

- ☐ Bidder' Washington State Department of Revenue registration number is: _____; or
- ☐ Bidder is not required to register with the Washington State Department of Revenue pursuant to Title 82 RCW.

I am the _____ (title) of Bidder, have authority to bind Bidder, am over the age of 18, and have personal knowledge of the facts set forth above.

Dated this _____ day of _____, 2022, at _____ (city),
_____ (state).

Signature _____

Print Name _____

Title _____

End of Bidder's Qualification Certificate

END OF ADDENDUM No. 2


This Addendum 2 is incorporated into the bid documents and will be made part of the resulting contract.

All other terms and conditions remain the same.

**THIS ADDENDUM MUST BE ACKNOWLEDGED BY SIGNATURE ON
THE REVISED PROPOSAL PACKET DATED May 5, 2022**

DATE OF BID OPENING: Monday, May 9, 2022 at 2:30 pm

Brian Adams
Director, Parks & Recreation



John B. Semrau, PE & PLS


END OF ADDENDUM No. 2

This Addendum 2 is incorporated into the bid documents and will be made part of the resulting contract.


All other terms and conditions remain the same.

**THIS ADDENDUM MUST BE ACKNOWLEDGED BY SIGNATURE ON
THE REVISED PROPOSAL PACKET DATED May 5, 2022**

DATE OF BID OPENING: Monday, May 9, 2022 at 2:30 pm



Brian Adams
Director, Parks & Recreation



John B. Semrau, PE & PLS