

ADDENDUM NO. 1
Skagit County Public Works
December 3, 2025
South Osterman Creek Culvert Repair Project #EO214-5
FEMA Project #4650DR-WA-674680

NOTICE TO PROSPECTIVE BIDDERS

NOTICE IS HEREBY GIVEN BY SKAGIT COUNTY that the Contract Provision and Plans have been modified and supplemented as follows:

The Special Provisions are revised as follows:

- **Special Provision 2-01 Clearing, Grubbing, and Roadside Cleanup**
 - On page 64, Paragraph 1 is revised as follows:
 - The Contractor shall clear within the Temporary Access Routes, as well as other clearing locations identified on the Plans. Vegetation shall be cleared as close to the groundline as practical, but no grubbing shall occur **outside the limits of earthwork unless specifically directed by the Engineer. Grubbing will mainly be limited to removal of root balls for cleared trees and grubbing of species listed as Class A or Class B noxious weeds by the Washington State Noxious Weed Control Board; current listings are found in WAC Chapter 16-750.** This Work includes protecting from harm all trees, bushes, shrubs, or other objects selected to remain outside of identified clearing areas and earthwork areas.
- **Special Provision 2-02 Removal of Structures and Obstructions**
 - On page 67, Line 5 and Line 6 are deleted.
- **Special Provision 8-30 Streams, Rivers, and Waterbodies**
 - On page 128, Line 25 through Line 32 are deleted.

Proposal for Bidding Purposes:

DELETE ORIGINAL PROPOSAL AND REPLACE WITH REVISED BID PROPOSAL NO. 1, WHICH INCLUDES THE FOLLOWING CHANGES:

Bidder Questionnaire Form (DOT Form 272-022 Revised 11/2025) replaces previous version dated 9/2024.

Bid Item #80, "Record Drawings" is changed to "Record Drawings (Minimum Bid: \$10,000)"

PRE-BID QUESTIONS and REQUEST FOR CLARIFICATION

Answers are informational only. Written questions submitted by Monday, November 24, 2025, at 12:00 p.m. were considered; any questions submitted after the deadline were not considered.

Questions:

1. The plans posted online are not to scale.

Answer: The original plans posted to the project page were not to scale. The full-sized plans have been uploaded to the project webpage as of 11/19/2025. If you have downloaded the plans before this date, you are advised to revisit the project page to download the updated version.

2. Is there a concern from the County as to access for delivering equipment, the box culvert, and other associated materials due to the weight restrictions on the bridge at Upper (North) Osterman and the Sauk River (Government Bridge)?

Answer: Access to the project site is subject to existing load restrictions at both the North Osterman temporary bridge and the Government Bridge. Contractors should be aware of the following limitations:

- North Osterman Temporary Bridge: Maximum load capacity is 45 tons.
- Government Bridge (Sauk River):
 - The bridge performs better with longer, multi-axle truck and trailer configurations.
 - A typical 6-axle truck/trailer (approximately 40 tons) can cross within allowable limits based on its rating factor, with a resulting allowable load of approximately 51 tons.
 - Larger multi-axle configurations (e.g., 10-axle oversized loads) may also be acceptable, with allowable loads in the range of approximately 56 tons.
 - The bridge is a truss structure with a vertical clearance of 18 feet, which may limit certain equipment.

Mobilization plans outside of these parameters require prior County approval.

3. Special Provision 1-05.18, Record Drawings, states “A minimum bid amount has been entered in the Bid Proposal for this item. The contractor must bid at least that amount.”

- No minimum is listed for bid item #80, record drawings, in the bid proposal.

Answer: See Revised Bid Proposal No. 1

4. Special Provision 2-01.1, Clearing, Grubbing, and Roadside Cleanup, states that no grubbing shall occur. Does this pertain to all areas within the clearing limits that are outside of an excavation zones?

- The planting plan on sheet 29 of 30 shows vegetation reestablishment mirroring the clear and grub line on sheet 8 of 30. Contractor’s discretion? Please clarify.

Answer: See revised Special Provision 2-01.1

5. Special Provision 2-02.1, Removal of Structures and Obstructions, lists the removal of the following:

- Buried telecommunication cable (Estimated Quantity: 1)
- Buried power cable (Estimated Quantity: 1)

Note 1 under the site preparation notes on sheet 9 of 30, “SITE PREPARATION PLAN”, states to preserve and protect existing buried power and telecom utilities. Please clarify.

Answer: See revised Special Provision 2-02.1

6. Special Provision 8-30.5, Additional Streambed Grading, states there will be a force account item for this subject. No bid item is shown in the bid proposal. Please clarify.

Answer: See revised Special Provision 8-30.5

END OF ADDENDUM NO. 1

**FAILURE TO ACKNOWLEDGE RECEIPT OF ADDENDUM NO. 1 ON PAGE 9 OF THE PROPOSAL
FOR BIDDING PURPOSES MAY RESULT IN REJECTION OF BID PROPOSAL PER PROJECT
SPECIAL PROVISIONS**

DATE OF BID OPENING: Monday, December 15, 2025, at 2:30 p.m.

A handwritten signature in black ink, appearing to read 'Thomas Weller', is written over a horizontal line.

Thomas Weller, P.E.
County Engineer

Revised Bid Proposal No. 1

Proposal for Bidding Purposes

For Construction of:

**South Osterman Creek Culvert Repair
Project#EO214-5;
FEMA Project #4650DR-WA-674680**

SKAGIT COUNTY PUBLIC WORKS



ADDENDUM NO. 1

**SKAGIT COUNTY
Public Works Department
1800 Continental Place
Mount Vernon, WA 98273**

REVISED BID PROPOSAL NO. 1 PROPOSAL

**South Osterman Creek Culvert Repair
Project#EO214-5;
FEMA Project #4650DR-WA-674680**

THE ENTIRE PROPOSAL SHALL BE RETURNED AS YOUR BID PACKAGE. FAILURE TO RETURN THE ENTIRE PROPOSAL MAY RESULT IN REJECTION OF BID PER PROJECT SPECIAL PROVISIONS

All bid envelopes must be plainly marked on the outside, “Sealed Bid, South Osterman Creek Culvert Repair Project#EO214-5;

Sealed Bids will be received at the following location before the specified time:

Bids may be hand delivered to: The Reception Desk of Skagit County Commissioners Office, located at 1800 Continental Place, Mount Vernon, WA.

Bids may be mailed to: Skagit County Commissioners
1800 Continental Place, Suite 100
Mount Vernon, Washington, 98273

The bid opening date for this project will be **Monday, December 15, 2025**. The bids will be publicly opened and read after **2:30 p.m.** on this date.

Bid Advertisement:

Published: Skagit Valley Herald – November 13, 20 & 27, 2025
Daily Journal of Commerce – November 13, 20 & 27, 2025

Posted: Washington State Office of Minority & Women’s Business Enterprises (OMWBE) – Bids & Contracting Opportunities webpage –November 13, 2025
<https://omwbe.wa.gov/small-business-assistance/bids-contracting-opportunities>

Skagit County Website on November 13, 2025
www.skagitcounty.net/rfp

ENTIRE PROPOSAL TO BE RETURNED AS YOUR BID PACKAGE

FAILURE TO SIGN OR COMPLETE ALL INFORMATION ON THE FORMS PROVIDED MAY RESULT IN REJECTION OF THE PROPOSAL AS NON-RESPONSIVE

REVISED BID PROPOSAL NO. 1

PROPOSAL

BOARD OF SKAGIT COUNTY COMMISSIONERS MOUNT VERNON, WASHINGTON 98273

Attention:

This certifies that the undersigned has examined the locations of:

South Osterman Creek Culvert Repair Project#EO214-5

and that the plans, specifications and contract governing the work embraced in this improvement, and the method by which payment will be made for said work is understood. The undersigned hereby proposes to undertake and complete the work embraced in this improvement, or as much thereof as can be completed with the money available in accordance with the said plans, specifications, and contract, and the following schedule of rates and prices:

Note: for work performed on this project the contractor should refer to Section 1-07.2(1) of the contract provisions and Department of Revenue Rule #171.

(Note: Unit prices for all items, all extensions, and total amount of bid shall be shown. All entries must be typed or entered in ink.)

South Osterman Creek Culvert Repair Project#EO214-5

Item No.	Description	Spec	QTY	Unit of Measure	Unit Price	Extended Price
1	MOBILIZATION	1-09.7	1.00	L.S.	\$ _____ . ____	\$ _____ . ____
2	MINOR CHANGE	1-04.4	1.00	EST.	\$ <u>25,000 .00</u>	\$ <u>25,000 .00</u>
3	SPCC PLAN	1-07.15	1.00	L.S.	\$ _____ . ____	\$ _____ . ____
4	TYPE B PROGRESS SCHEDULE	1-08	1.00	L.S.	\$ _____ . ____	\$ _____ . ____
5	STRUCTURE SURVEYING	1-05.4 SP	1.00	L.S.	\$ _____ . ____	\$ _____ . ____

6	ROADWAY SURVEYING	1-05.4 SP	1.00	L.S.	\$ _____ .__	\$ _____ .__
7	CHANNEL SURVEYING	1-05.4 SP	1.00	L.S.	\$ _____ .__	\$ _____ .__
8	PROJECT TEMPORARY TRAFFIC CONTROL	1-10	1.00	L.S.	\$ _____ .__	\$ _____ .__
9	WORK ZONE SAFETY CONTINGENCY	1-10	1.00	EST.	\$ <u>5,000 .00</u>	\$ <u>5,000 .00</u>
10	CONSTRUCTION SIGNS CLASS A	1-10	420.00	S.F.	\$ _____ .__	\$ _____ .__
11	PORTABLE CHANGEABLE MESSAGE SIGN	1-10	2016.00	HR	\$ _____ .__	\$ _____ .__
12	PAINT LINE	8-22	1300.00	L.F.	\$ _____ .__	\$ _____ .__
13	FISH EXCLUSION ASSISTANCE	8-31	1.00	EST.	\$ <u>10,000 .00</u>	\$ <u>10,000 .00</u>
14	FISH BLOCK NET MAINTENANCE	8-31	1.00	EST.	\$ <u>5,000 .00</u>	\$ <u>5,000 .00</u>
15	CLEARING AND GRUBBING	2-01	1.00	ACRE	\$ _____ .__	\$ _____ .__
16	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	2-02	1.00	L.S.	\$ _____ .__	\$ _____ .__
17	SAWCUTTING	2-03 SP	150.00	IN-FT	\$ _____ .__	\$ _____ .__
18	ROADWAY EXCAVATION INCL. HAUL	2-03	450.00	C.Y.	\$ _____ .__	\$ _____ .__
19	CHANNEL EXCAVATION INCL. HAUL	2-03	2700.00	C.Y.	\$ _____ .__	\$ _____ .__
20	SLOPE STABILIZATION EXCAVATION INCL. HAUL	2-08 SP	530.00	C.Y.	\$ _____ .__	\$ _____ .__

21	SLOPE STABILIZATION FILL	2-08 SP	90.00	C.Y.	\$ _____ . ____	\$ _____ . ____
22	STRUCTURE EXCAVATION CLASS A INCL. HAUL	2-09	1230.00	C.Y.	\$ _____ . ____	\$ _____ . ____
23	SHORING OR EXTRA EXCAVATION CL. A	2-09	1.00	L.S.	\$ _____ . ____	\$ _____ . ____
24	UNSUITABLE FOUNDATION EXCAVATION INCL. HAUL	2-09	90.00	C.Y.	\$ _____ . ____	\$ _____ . ____
25	TEMPORARY DEWATERING SYSTEM	6-20 SP	1.00	L.S.	\$ _____ . ____	\$ _____ . ____
26	PERMEABLE BALLAST	8-27	170.00	TON	\$ _____ . ____	\$ _____ . ____
27	GRAVEL BORROW INCL. HAUL	9-03 SP	950.00	TON	\$ _____ . ____	\$ _____ . ____
28	CRUSHED SURFACING TOP COURSE	4-04	140.00	TON	\$ _____ . ____	\$ _____ . ____
29	HMA CL. 1/2 IN. PG 58H-22	5-04 SP	170.00	TON	\$ _____ . ____	\$ _____ . ____
30	GRAVEL BACKFILL FOR WALL	4-04	300.00	C.Y.	\$ _____ . ____	\$ _____ . ____
31	PRECAST REINF. CONC. SPLIT BOX CULVERT NO. 1	6-02	1.00	L.S.	\$ _____ . ____	\$ _____ . ____
32	TEMPORARY STREAM DIVERSION	8-31	1.00	L.S.	\$ _____ . ____	\$ _____ . ____
33	TIMBER HANDRAIL	6-23	64.00	L.F.	\$ _____ . ____	\$ _____ . ____
34	EROSION CONTROL AND WATER POLLUTION PREVENTION	8-01	1.00	L.S.	\$ _____ . ____	\$ _____ . ____

35	STABILIZED CONSTRUCTION ENTRANCE	8-01	525.00	S.Y.	\$ _____ . ____	\$ _____ . ____
36	WATTLE	8-01	1550.00	L.F.	\$ _____ . ____	\$ _____ . ____
37	HIGH VISIBILITY FENCE	8-01	1220.00	L.F.	\$ _____ . ____	\$ _____ . ____
38	SEEDING AND MULCHING	8-02	0.70	ACRE	\$ _____ . ____	\$ _____ . ____
39	ESC LEAD	8-01	12.00	DAY	\$ _____ . ____	\$ _____ . ____
40	PSIPE VINE MAPLE, 1 GAL	8-02	69.00	EA	\$ _____ . ____	\$ _____ . ____
41	PSIPE BIGLEAF MAPLE, 1 GAL	8-02	28.00	EA	\$ _____ . ____	\$ _____ . ____
42	PSIPE COMMON YARROW, 1 GAL	8-02	80.00	EA	\$ _____ . ____	\$ _____ . ____
43	PSIPE RED ALDER, 1 GAL	8-02	12.00	EA	\$ _____ . ____	\$ _____ . ____
44	PSIPE KINNIKINNICK, 4"	8-02	80.00	EA	\$ _____ . ____	\$ _____ . ____
45	PSIPE TALL OREGONGRAPE, 1 GAL	8-02	99.00	EA	\$ _____ . ____	\$ _____ . ____
46	PSIPE REDOSIER DOGWOOD, 1 GAL	8-02	90.00	EA	\$ _____ . ____	\$ _____ . ____
47	PSIPE BEAKED HAZELNUT, 1 GAL	8-02	21.00	EA	\$ _____ . ____	\$ _____ . ____
48	PSIPE BLACK HAWTHORN, 1 GAL	8-02	12.00	EA	\$ _____ . ____	\$ _____ . ____
49	PSIPE OSOBERY, 1 GAL	8-02	46.00	EA	\$ _____ . ____	\$ _____ . ____

50	PSIPE WESTERN SWORDFERN, 1 GAL	8-02	177.00	EA	\$_____.	\$_____.
51	PSIPE DOUGLAS-FIR, 1 GAL	8-02	48.00	EA	\$_____.	\$_____.
52	PSIPE SPREADING GOOSEBERRY, 1 GAL	8-02	46.00	EA	\$_____.	\$_____.
53	PSIPE THIMBLEBERRY, 1 GAL	8-02	46.00	EA	\$_____.	\$_____.
54	PSIPE SALMONBERRY, 1 GAL	8-02	90.00	EA	\$_____.	\$_____.
55	PSIPE PACIFIC WILLOW, 4' LIVE STAKE	8-02	161.00	EA	\$_____.	\$_____.
56	PSIPE RED ELDERBERRY, 1 GAL	8-02	45.00	EA	\$_____.	\$_____.
57	PSIPE SNOWBERRY, 1 GAL	8-02	112.00	EA	\$_____.	\$_____.
58	PSIPE WESTERN RED CEDAR, 1 GAL	8-02	16.00	EA	\$_____.	\$_____.
59	WOOD CHIP MULCH	8-02	60.00	C.Y.	\$_____.	\$_____.
60	BEAM GUARDRAIL TYPE 31 - 8 FT. LONG POST	8-11	350.00	L.F.	\$_____.	\$_____.
61	BEAM GUARDRAIL TYPE 31 NON- FLARED TERMINAL	8-11	2.00	EA	\$_____.	\$_____.
62	BEAM GUARDRAIL ANCHOR TYPE 11	8-11	2.00	EA	\$_____.	\$_____.
63	BOX CULVERT GUARDRAIL STEEL POST TYPE 31	8-11	8.00	EA	\$_____.	\$_____.
64	CABLE FENCE	8-12	114.00	L.F.	\$_____.	\$_____.

65	PERMANENT SIGNING	8-21	1.00	L.S.	\$_____.	\$_____.
66	STREAMBED COBBLES 12 IN.	8-30	1300.00	TON	\$_____.	\$_____.
67	STREAMBED SEDIMENT	8-30	1130.00	TON	\$_____.	\$_____.
68	BOULDER SILL	8-30	14.00	EA	\$_____.	\$_____.
69	STREAMBED SAND	8-30	330.00	C.Y.	\$_____.	\$_____.
70	INSTREAM WOOD PLACEMENT - LOG TRIANGLE UNIT	8-27 SP	8.00	EA	\$_____.	\$_____.
71	INSTREAM WOOD PLACEMENT - BANK ROOTWAD	8-27 SP	10.00	EA	\$_____.	\$_____.
72	INSTREAM WOOD PLACEMENT - CHANNEL ROOTWAD - SHORT	8-27 SP	9.00	EA	\$_____.	\$_____.
73	INSTREAM WOOD PLACEMENT - CHANNEL ROOTWAD - LONG	8-27 SP	5.00	EA	\$_____.	\$_____.
74	INSTREAM WOOD PLACEMENT - SLASH WATTLE	8-27 SP	23.00	EA	\$_____.	\$_____.
75	CONSTRUCTION GEOTEXTILE FOR SOIL STABILIZATION	8-30	270.00	S.Y.	\$_____.	\$_____.
76	STREAMBED BOULDER TYPE 1	8-30	530.00	TON	\$_____.	\$_____.
77	STREAMBED BOULDER TYPE 2	8-30	700.00	TON	\$_____.	\$_____.
78	STREAMBED BOULDER TYPE 3	8-30	480.00	TON	\$_____.	\$_____.

79	STREAMBED BOULDER TYPE 4	8-30	330.00	TON	\$_____.	\$_____.
80	RECORD DRAWINGS (Minimum Bid \$10,000)	1-05	1.00	L.S.	\$_____.	\$_____.
81	APPRENTICESHIP INCENTIVE/PENALTY	1-07.9(3)	1.00	EST.	\$ <u>10,000</u> .00	\$ <u>10,000</u> .00
TOTAL BID						\$_____.

FOR WORK PERFORMED ON THIS PROJECT THE CONTRACTOR SHOULD REFER TO SECTION 1-07.2(1) OF THE CONTRACT PROVISIONS AND DEPARTMENT OF REVENUE RULE #171.

PROPOSAL – Signature Page

The bidder is hereby advised that by signature of this proposal he/she is deemed to have acknowledged all requirements and signed all certificates contained herein.

The undersigned hereby agrees to pay labor not less than the prevailing rates of wages in accordance with the requirements of the special provisions for this project.

A proposal guaranty in an amount of five percent (5%) of the total bid based upon the approximate estimate of quantities at the above prices and in the form as indicated below is attached hereto:

- ☐ CASHIER'S CHECK In the amount of \$_____Dollars
- ☐ CERTIFIED CHECK In the amount of \$_____Dollars
(Payable to Skagit County)
- ☐ PROPOSAL BOND In the amount five percent (5%) of the total bid.

Receipt is hereby acknowledged of Addendum(s) No. (s) _____ 1 _____, _____, & _____

Signature of Authorized Official(s):

Proposal Must Be Signed →

PRINT NAME

Firm Name: _____

Address: _____

Telephone No.: _____

State of Washington Contractor's License No. _____

UBI No. _____

Employment Security Department No. _____

Project Contact – Name & Phone#: _____

Note:

- (1) This proposal form is not transferable, and any alteration of the firm's name entered hereon without prior permission from the Skagit County will be cause for considering the proposal irregular and subsequent rejection of the bid.
- (2) Please refer to Section 1-02.6 of the Standard Specifications, "Preparation of Proposal", or "Article 4" of the Instruction to Bidders for building construction jobs.

BID PROPOSAL MUST BE SIGNED.

**FAILURE TO SIGN OR COMPLETE ALL INFORMATION MAY RESULT
IN REJECTION OF THE PROPOSAL AS NON-RESPONSIVE.**

**SUBMIT THE
ENCLOSED PROPOSAL
BOND FORM WITH
YOUR PROPOSAL**

**USE OF OTHER FORMS
MAY SUBJECT YOUR
BID TO REJECTION**

PROPOSAL BOND

KNOW ALL MEN BY THESE PRESENTS, That we, _____

_____ of _____ as principal, and the
_____ a corporation duly
organized under the laws of the State of _____,
and authorized to do business in the State of Washington, as surety, are held and firmly bound unto
Skagit County in the full and penal sum of five (5) percent of the total amount of the bid proposal of
said principal for the work hereinafter described for the payment of which, well and truly to be made,
we bind our heirs, executors, administrators and assigns, and successors and assigns, firmly by
these presents.

The condition of this bond is such, that whereas the principal herein is herewith submitting
his or its sealed proposal for the following highway construction, to wit:

South Osterman Creek Culvert Repair Project#EO214-5

said bid and proposal, by reference thereto, being made a part hereof.

NOW THEREFORE, If the said proposal bid by said principal be accepted, and the contract
be awarded to said principal, and if said principal shall duly make and enter into and execute said
contract and shall furnish bond as required by Skagit County within a period of twenty (20) days
from and after said award, exclusive of the day of such award, then this obligation shall be null and
void, otherwise it shall remain and be in full force and effect.

IN TESTIMONY WHEREOF, The principal and surety have
caused these presents to be signed and sealed this _____ day of _____,
2025.

(Principal)

(Surety)

(Attorney-in-fact)

Failure to return this Declaration as part of the bid proposal package will make the bid nonresponsive and ineligible for award.

NON-COLLUSION DECLARATION

I, by signing the proposal, hereby declare, under penalty of perjury under the laws of the United States that the following statements are true and correct:

1. That the undersigned person(s), firm, association or corporation has (have) not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with the project for which this proposal is submitted.
2. **That by signing the signature page of this proposal, I am deemed to have signed and to have agreed to the provisions of this declaration.**

NOTICE TO ALL BIDDERS

To report rigging activities call:

1-800-424-9071

The U.S. Department of Transportation (USDOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m., eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of USDOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the USDOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Local Agency Certification for Federal-Aid Contracts

The prospective participant certifies by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:

(1) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan or cooperative agreement.

(2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

This certification is material representation of the fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by Section 1352, Title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each failure.

The prospective participant also agrees by submitting his or her bid or proposal that he or she shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such subrecipients shall certify and disclose accordingly.



Bidder Questionnaire

Agency Name		Federal Aid Number				
Prime Contractor Name		Contract Number				
Contract Name						
Firm/Subcontractor Name	Address (incl. Zipcode)	DBE Status	NAICS Codes	Scope of Work	Firm Age	Firm Gross Receipts

If you have additional Firms or Subcontractors that submitted Bids, please complete additional forms.

Prime Contractor Signature

Title

Date

Form Instructions

The following information on each firm that submitted a bid is required as part of part of 49 CFR 26.11(c)(2):

Firm/Subcontractor Name: Enter the name of each firm or subcontractor who submitted a quote or a bid on the contract.

Address: Enter the date the main address of the firm/subcontractor. Include the zip code.

DBE Status: Enter the DBE status. *Options are DBE and Non-DBE.*

NAICS Codes: Enter the appropriate NAICS Codes for the work the bid was submitted.

Scope of Work: Enter the scope of the work the bid was submitted for.

Firm Age: Enter the age of the Firm.

Firm Gross Receipts: Enter the annual gross receipts. *Options are "Less than \$1 million", "\$1-\$3 million", "\$3-\$6 million", "\$6-\$10 million", "\$10-\$20 million", "\$20-\$30.72 million", "Greater than \$30.72 million".*

Proposal for Incorporating Recycled Materials into the Project

In compliance with RCW 70A.205.700, the Bidder shall propose below, the total percent of construction aggregate and concrete materials to be incorporated into the Project that are recycled materials. Calculated percentages must be within the amounts allowed in Section 9-03.21(1)E, Table on Maximum Allowable Percent (By Weight) of Recycled Material, of the Standard Specifications.

Proposed total percentage: _____ percent.

Note: Use of recycled materials is highly encouraged within the limits shown above, but does not constitute a Bidder Preference, and will not affect the determination of award, unless two or more lowest responsive Bid totals are exactly equal, in which case proposed recycling percentages will be used as a tie-breaker, per the APWA GSP in Section 1-03.1 of the Special Provisions. Regardless, the Bidder's stated proposed percentages will become a goal the Contractor should do its best to accomplish. Bidders will be required to report on recycled materials actually incorporated into the Project, in accordance with the APWA GSP in Section 1-06.6 of the Special Provisions.

Bidder: _____

Signature of Authorized Official: _____

Date: _____



Contract Number		Contract Title					
Contractor		Engineer					
		Reclaimed Hot Mix Asphalt	Recycled Concrete Aggregate	Recycled Glass	Steel Furnace Slag	Other Recycled Aggregates	Contract Total Quantity
Fine Aggregate for Portland Cement Concrete	9-03.1(2)						
Coarse Aggregate for Portland Cement Concrete	9-03.1(4)						
Coarse Aggregate for Commercial Concrete	9-03.1(4)						
Aggregates for Hot Mix Asphalt	9-03.8	see below					
Ballast	9-03.9(1)						
Permeable Ballast	9-03.9(2)						
Crushed Surfacing	9-03.9(3)						
Aggregate for Gravel Base	9-03.10						
Gravel Backfill for Foundations	9-03.12(1)						
Gravel Backfill for Walls	9-03.12(2)						
Gravel Backfill for Pipe Zone Bedding	9-03.12(3)						
Gravel Backfill for Drains	9-03.12(4)						
Gravel Backfill for Drywells	9-03.12(5)						
Backfill for Sand Drains	9-03.13						
Sand Drainage Blanket	9-03.13(1)						
Gravel Borrow	9-03.14(1)						
Select Borrow	9-03.14(2)						
Common Borrow	9-03.14(3)						
Foundation Material Class A and Class B	9-03.17						
Foundation Material Class C	9-03.18						
Bank Run Gravel for Trench Backfill	9-03.19						
Other Aggregate Materials (total quantity not required)	9-03						
TOTAL (recycled materials and contract total quantity)		0	0	0	0	0	0
		Reclaimed Hot Mix Asphalt	Reclaimed Asphalt Shingles		Steel Furnace Slag	Other Recycled Materials	Total Quantity
Hot Mix Asphalt	5-04.2						

I declare that the statements made in this document, including attachments, are complete, true and accurate.

Signed by an authorized representative of the Contractor

Contractor Representative Name		Signature	Title	Date
--------------------------------	--	-----------	-------	------

INSTRUCTIONS:

The Contractor shall report the quantity in **tons** for each type of recycled material that was used for each of the listed materials. If the Contract did not include the listed material or recycled materials were not used for this material a "0" shall be entered in the box. The Standard Specifications in Section 9-03.21 do not allow the use of recycled materials in the boxes that are shaded. If the Contract Provisions allowed and the Contractor utilized recycled materials for any of these items the amount of recycled material shall be entered in the box. The contract total quantity for each aggregate material (e.g., Fine Aggregate for Portland Cement Concrete) is the total weight in tons and includes both recycled and natural occurring materials. The total quantity for hot mix asphalt (HMA) is the total HMA weight in tons and includes recycled asphalt pavement (RAP) and new HMA materials.

Other recycled aggregates include other material sources that are utilized on a project. These sources include on-site recycling and aggregates from returned (uncured) concrete. Roadway excavation and embankment are not allowed in the quantity for other aggregate materials or other recycled aggregates.

Attach cost estimates as required in Section 1-06.6 of the Standard Specifications when the total percentage of recycled aggregate and concrete is less than 25 percent of the required amount for the entire Contract.



Certification of Compliance with Wage Payment Statutes

The bidder hereby certifies that, within the three-year period immediately preceding the bid solicitation date (**November 13, 2025**), the bidder is not a “willful” violator, as defined in RCW 49.48.082, of any provision of chapters 49.46, 49.48, or 49.52 RCW, as determined by a final and binding citation and notice of assessment issued by the Department of Labor and Industries or through a civil judgment entered by a court of limited or general jurisdiction.

I certify under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Bidder’s Business Name

Signature of Authorized Official*

Printed Name

Title

Date

City

State

Check One:

Sole Proprietorship ☐ Partnership ☐ Joint Venture ☐ Corporation ☐

State of Incorporation, or if not a corporation, State where business entity was formed:

If a co-partnership, give firm name under which business is transacted:

** If a corporation, proposal must be executed in the corporate name by the president or vice-president (or any other corporate officer accompanied by evidence of authority to sign). If a co-partnership, proposal must be executed by a partner.*

Local Agency Name
Local Agency Address

Local Agency Subcontractor List

Prepared in compliance with RCW 39.30.060 as amended

To Be Submitted with the Bid Proposal

Project Name _____

Failure to list subcontractors with whom the bidder, if awarded the contract, will directly subcontract for performance of the work of structural steel installation, rebar installation, heating, ventilation and air conditioning, plumbing, as described in Chapter 18.106 RCW, and electrical, as described in Chapter 19.28 RCW or naming more than one subcontractor to perform the same work will result in your bid being non-responsive and therefore void.

Subcontractor(s) with whom the bidder will directly subcontract that are proposed to perform the work of structural steel installation, rebar installation, heating, ventilation and air conditioning, plumbing, as described in Chapter 18.106 RCW, and electrical as described in Chapter 19.28 RCW must be listed below. The work to be performed is to be listed below the subcontractor(s) name.

To the extent the Project includes one or more categories of work referenced in RCW 39.30.060, and no subcontractor is listed below to perform such work, the bidder certifies that the work will either (i) be performed by the bidder itself, or (ii) be performed by a lower tier subcontractor who will not contract directly with the bidder.

Subcontractor Name _____

Work to be performed _____

Subcontractor Name _____

Work to be performed _____

Subcontractor Name _____

Work to be performed _____

Subcontractor Name _____

Work to be performed _____

Subcontractor Name _____

Work to be performed _____

* Bidder's are notified that it is the opinion of the enforcement agency that PVC or metal conduit, junction boxes, etc, are considered electrical equipment and therefore considered part of electrical work, even if the installation is for future use and no wiring or electrical current is connected during the project.