

Q- Is 150k budget the max? The list of requirements may exceed that figure.

A. The budget is \$150,000 for this project.

Q- Should we bid to the budget or the requested improvements?

A. The budget is \$150,000 for this project.

Q- Is there a bill of materials available?

A. No

Q- Are there architectural drawings available?

A. Yes

Q- Are there furniture layout plans available?

A. No

Q- Are there wiring diagrams of the existing system available?

A. No

Q- What are the room dimensions?

A. Multi-Purpose Room #123 (37ft 10in x 36ft) Work Room #117 (18ft x 10ft)

Q- Is there a defined meeting platform? Ie. Teams room, Zoom room?

A. No

Q- Are there any preferred manufacturers?

A. No

Q- How many operators will use the system simultaneously?

A. Multiple

Q- Can every station share to the system?

A. No

Q- How many seats will have docking stations?

A. Estimate is 20 docking stations. Docking stations will be provided by Skagit County.

Q- Will there be dedicated PC hardware for each station?

A. No

Q- What is the existing technology to be evaluated for potential reuse?

A. None has been identified at this time.

Q- What is the existing information technology infrastructure at the Skagit County to which our system should be compatible?

A. This should be designed as a standalone system for the use of County provided HP laptops that will have access to a County provided Wi-Fi signal.